



SPS Technologies Abington PA
February 24, 2025 Daily Surface Water
and Outfall Sampling Results Report

SPS Technologies

2025-02-27



Table of Contents

1.	Executive Summary	2
2.	Introduction	2
3.	Site Background	2
4.	Tookany Creek Offsite Investigation	2
4.1	Sampling Locations	2
4.2	Surface Water Sampling Field Methodology	3
4.3	Sample Analysis	3
4.4	Surface Water Sampling Daily Results	3
4.5	Outfall Sampling Daily Results	3
5.	Daily Quality Assurance/Quality Control and Management	3
5.1	Field Quality Assurance/Quality Control Requirements	3
5.2	Analytical QA/QC Samples	4
5.3	Data Evaluation	4
6.	References	4

TABLES

Table 1	Daily Surface Water Sampling Results
Table 2	Daily Outfall Sampling Results <i>(not included in February 24, 2025 Report)</i>

FIGURES

Figure 1	Surface Water and Outfall Sample Locations
Figure 2	Downstream Surface Water Sample Locations

Appendices

Appendix A	Daily Surface Water Sampling Log
Appendix B	Data Validation Report
Appendix C	Laboratory Analytical Report

1. Executive Summary

WSP USA Inc. (WSP), on behalf of SPS Technologies Abington PA (SPS), collected five surface water samples in accordance with SPS's Sampling Plan, which was submitted to the Philadelphia Water Department (PWD), the Pennsylvania Department of Environmental Protection (PADEP), and the United States Environmental Protection Agency (EPA). The samples were submitted to a Pennsylvania-certified analytical laboratory for analysis. The sample locations are shown in the attached **Figures 1 and 2** and the results of the analysis are shown below.

		Upstream Offsite SW Sample Location 1	Upstream Offsite SW Sample Location 2	SW Sample Location 3	High School Road Sample Location	Downstream SW Sample Location
Parameter	Units	Result	Result	Result	Result	Result
Toluene	mg/L	ND	ND	ND	ND	ND
2-Butanone (MEK)	mg/L	ND	ND	0.0028	ND	ND
Chromium, Trivalent	mg/L	ND	ND	ND	ND	ND
Chromium, Hexavalent	mg/L	ND	ND	ND	ND	ND
Total Cyanide	mg/L	ND	ND	0.0452	0.018	0.0102
Free Cyanide	mg/L	ND	ND	0.011	0.004	ND
Oil & Grease	mg/L	ND	ND	6.6	ND	ND
Total Chromium	mg/L	0.0003728	0.0004959	0.0007083	0.0004766	0.0002551
Total Nickel	mg/L	0.0007773	0.00144	0.02075	0.01087	0.007409
Hardness	mg/L	223.1	266	248.7	232.4	213
pH	SU	8.27	7.6	7.45	7.21	6.56

A detailed description of the sampling procedure, results, and data evaluation are included in this Report. The laboratory data validation report and the complete laboratory analytical report, including Quality Assurance/Quality Control (QA/QC) are attached to the Report.

2. Introduction

This Daily Surface Water and Outfall Sampling Results Report (Report) has been prepared by WSP USA Inc. (WSP) on behalf of SPS Technologies Abington PA (SPS), which operates the facility located at 301 Highland Ave, Jenkintown, Pennsylvania, 19046 (the Facility). The purpose of the Report is to provide off-site surface water and outfall sampling results collected in accordance with SPS's Sampling Plan, as prepared by WSP, which was submitted to the Philadelphia Water Department (PWD), the Pennsylvania Department of Environmental Protection (PADEP), and the United States Environmental Protection Agency (EPA) on February 21, 2025 and revised on February 25, 2025 (Sampling Plan). Refer to Sampling Plan **Figures 1 and 2** for sampling locations.

Outfall sampling commenced on February 25, 2025 as requested by PADEP, therefore, no outfall data is included in this report for February 24, 2025.

3. Site Background

SPS Technologies currently owns the Site. Operations at the Site consist of manufacturing bolts, nuts, screws, rivets, washers, furniture, and fixtures. Tookany Creek is located south of the SPS building and north of Paxson Ave.

4. Tookany Creek Offsite Investigation

4.1 Sampling Locations

The sampling locations displayed on **Figure 1** and **Figure 2** were selected based on discussions with PWD and PADEP and were identified in the Sampling Plan.

4.2 Surface Water Sampling Field Methodology

The surface water sampling methodology was in accordance with the Sampling Plan.

The surface water field data collected for the surface water samples at each sampling location included the following:

- Water depth
- Weather conditions
- Water velocity (if visibly flowing)
- Sample characteristics (clarity, appearance, color, odor, clarity, pH, etc.)
- Water quality measurements (DO, pH, salinity, ORP, turbidity, conductivity, and temperature)
- Additional observations (e.g., wildlife sightings)

This data is documented on the daily surface water sampling form attached as **Appendix A**. The in-field measurement of pH is provided on **Table 1**.

4.3 Sample Analysis

All samples were submitted to Pace Analytical in Westborough, Massachusetts (Certification No. 68-03671) and Pace Analytical in Mansfield, Massachusetts (Certification No. 68-02089), following chain-of-custody protocols.

4.4 Surface Water Sampling Daily Results

In accordance with the Sampling Plan, surface water samples were analyzed for the following parameters.

- Oil & grease
- Free cyanide
- Total cyanide
- Total nickel
- Total chromium
- Hexavalent chromium (speciated)
- Methyl ethyl ketone (MEK)
- Toluene

The validated daily analytical results from surface water sampling are presented in **Table 1**.

4.5 Outfall Sampling Daily Results

On the date covered by this report, no outfall samples were collected.

5. Daily Quality Assurance/Quality Control and Management

5.1 Field Quality Assurance/Quality Control Requirements

Field personnel performed data quality control (QC) verification of field measurements in consultation with the Pennsylvania Department of Environmental Protection Sampling and Analysis Plan (PADEP, 2023). This process included reviewing calibration records and duplicate readings to ensure data accuracy. Field measurements were documented in notebooks or field information forms. pH readings are also summarized in **Table 1**.

All hand equipment used during the sampling event was cleaned with Alconox and distilled water. Disposable sampling cups were used to collect the samples. Field personnel wore disposable nitrile sampling gloves. Sampling gloves were discarded after processing at each sample location and replaced before handling decontaminated equipment or work surfaces.

5.2 Analytical QA/QC Samples

All quality assurance/quality control (QA/QC), field duplicates (FD), and matrix spikes/matrix spike duplicates (MS/MSD) were collected in accordance with the Sampling Plan.

Trip blanks (TBs) accompanied each shipment of toluene and MEK samples at a rate of one per day. The following QA/QC samples were collected at a rate of 1 per 20 primary samples during each monitoring event: field duplicates (FD) and matrix spikes/matrix spike duplicates (MS/MSD). No field (rinsate) blanks were collected because single-use sample cups were used to collect the samples.

5.3 Data Evaluation

The reliability of the analytical data were evaluated to assess its suitability for use in the monitoring. In particular, the data's precision, accuracy, and sensitivity were evaluated based on field sampling documentation, adherence to sample holding times, and analysis of the QC samples (duplicates, spikes, and blanks). Data validation of the laboratory data was in accordance with the Sampling Plan. The data validation report is attached as **Appendix B**.

6. References

1. SPS Technologies, Sampling Plan. 25 Feb. 2025.
2. Pennsylvania Department of Environmental Protection. Water Quality Monitoring Protocols for Surface Waters. 2023.

FIGURES & TABLES & APPENDICES




SOURCE
NEARMAP IMAGERY, JUNE 16, 2024.

LEGEND
 SW = SURFACE WATER
 ● SURFACE WATER SAMPLE LOCATION
 ● APPROXIMATE OUTFALL SAMPLE LOCATION



WSP USA Inc.
751 Arbor Way, Suite 180
Blue Bell, PA 19422
Tel. 610-828-8100
www.wsp.com

PROJECTION / DATUM: PA83-SF
 PREPARED BY: PJC
 CHECKED BY: KM
 REVIEWED BY: TK



CLIENT

PROJECT

**SURFACE WATER AND
OUTFALL SAMPLING
RESULTS REPORT**

TITLE

**SURFACE WATER AND
OUTFALL SAMPLE LOCATIONS**

PROJECT NO.: US0043268.2150
 REVISION NO.: 0
 DATE: FEBRUARY 2025
 FIGURE NO.:



SOURCE
 GEOMAP IMAGERY, 2025.

LEGEND
 SW = SURFACE WATER
 ● SURFACE WATER SAMPLE LOCATION



WSP USA Inc.
 751 Arbor Way, Suite 180
 Blue Bell, PA 19422
 Tel. 610-828-8100
 www.wsp.com

PROJECTION / DATUM: PA83-SF
 PREPARED BY: PJC
 CHECKED BY: KM
 REVIEWED BY: TK
 SCALE: 1" = 3,000'

CLIENT

PROJECT
**SURFACE WATER AND
 OUTFALL SAMPLING
 RESULTS REPORT**

TITLE
OFF-SITE SURFACE WATER SAMPLE LOCATIONS

PROJECT NO.: US0043268.2150
 REVISION NO.: 0
 DATE: FEBRUARY 2025
 FIGURE NO.:

Table 1
Surface Water Analytical Results
Daily Surface Water Sampling Results Report
SPS Technologies
Jenkintown, Pennsylvania

Sample Location	Upstream Offsite SW Sample Location 1			Upstream Offsite SW Sample Location 2			SW Sample Location 3			High School Road Sample Location			Downstream SW Sample Location		
	Field Sample ID	Lab Sample ID	Sampling Date	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL
	SW2_022425	L2509992-04	2/24/2025												
				Water			Water			Water			Water		
Parameter	Units			Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL
Volatile Organic Compounds															
Toluene	mg/L			ND		0.001	ND		0.001	ND		0.001	ND		0.001
2-Butanone (MEK)	mg/L			ND		0.01	ND		0.01	0.0028	J	0.01	ND		0.01
General Chemistry															
Chromium, Trivalent	mg/L			ND		0.01	ND		0.01	ND		0.01	ND		0.01
Chromium, Hexavalent	mg/L			ND		0.01	ND		0.01	ND		0.01	ND		0.01
Total Cyanide	mg/L			ND		0.005	ND		0.005	0.0452		0.005	0.018		0.005
Free Cyanide	mg/L			ND		0.01	ND		0.01	0.011		0.01	0.004	J	0.01
Oil & Grease	mg/L			ND		4	ND		4	6.6		4	ND		4
Total Metals															
Total Chromium ⁴	mg/L			0.0003728	J	0.001	0.0004959	J	0.001	0.0007083	J	0.001	0.0004766	J	0.001
Total Nickel	mg/L			0.0007773	J	0.002	0.00144	J	0.002	0.02075		0.002	0.01087		0.002
Total Hardness															
Hardness	mg/L			223.1		0.54	266		0.54	248.7		0.54	232.4		0.54
Field Parameters															
pH ⁵	SU			8.27			7.6			7.45			7.21		

Notes:

1.) Field measurements for pH were performed by WSP field personnel prior to sample collection using a Horiba U-52. Field measurements were not validated.

Abbreviations:

mg/L: milligrams per liter
 ND: Non-Detect
 Q: Qualifier
 RL: Reporting Limit
 SU: Standard Units

Qualifiers:

J - Estimated Result



APPENDIX A – DAILY SURFACE WATER SAMPLING LOG

2/24/25
2/23/2025

Project Number: TBD

SURFACE WATER SAMPLE FIELD INFORMATION FORM

Site: SPS
 Location: Abington
 Project Number:
 Meter/Type/Serial #: Horiba U-52 # S/N: SV5R35TG
 Meter Calibrated @:
 Flow Meter: FH950 Meter # S/N: Visual test Meter Stick and stopwatch
 Sampling Date/Time: SW5-022425 @ 0920 2/24/25, SW4-022425 @ 1030 2/24/25, SW3-022425 @ 1230 2/24/25, SW2-022425 @ 1320 2/24/25
 Sampler(s): SEI and S/NH
 Sampling Device: Telescope Dipper stick and Dipper Ladle
 Sample Characteristics: SW5-022425 clear, no odor; SW4-022425 clear, no odor; SW3-022425 clear, no odor, sheen, product-like substances; SW2-022425 clear, no odor; SW1-022425 clear, no odor
 Analytical Parameters:

Weather Conditions: Clear 33°F

Additional Notes: SW3-022425 sheen and product like substance present at SW3 location Lewis Environmental wadding throughout creek disturbing the sediment - PID readings all day and at all locations 0.0 ppm

STATION / SAMPLE	STATION DESCRIPTION (stream/lake/river)	DATE mm/dd/yy	TIME hr:min	TOTAL DEPTH	SAMPLE DEPTH	WATER TEMP	pH	COND	ORP	TURBIDITY	DO	VELOCITY
				inches	inches	Celsius	SU	mS/cm	mV	NTU	mg/L	ft/sec
SW5-022425	creek	2/24/25	0920	14.5	7.25	6.59	6.56	0.779	+274	0.0	7.43	1.04
Sample Characteristics:				clear, no odor								
SW4-022425	creek	2/24/25	1030	72	36	9.84	7.21	0.819	+249	0.0	10.15	0.92
Sample Characteristics:				clear, no odor								
SW3-022425	creek	2/24/25	1235	30.5	15.25	14.04	7.45	0.711	+181	0.0	6.81	negligable
Sample Characteristics:				clear, no odor sheen, product-like substances								
SW2-022425	creek	2/24/25	1320	6.5	3.25	12.95	8.27	0.675	+190	0.0	8.17	0.30
Sample Characteristics:				clear, no odor SM 2/24/25 8.17								
SW1-022425	creek	2/24/25	1445		11.6							0.36
Staff Gauge Reading	Sample Characteristics:			16	8	12.90	7.60	0.940	+216	0.0	6.61	0.36
	clear, no odor											

APPENDIX B – DATA VALIDATION REPORT

QA LEVEL 2A - DATA VERIFICATION/DATA VALIDATION CHECKLIST

Project Name: SPS Technologies

Project Number/Phase/Task: US0043268.2150-US-SPS Client Support. Task 01

Reviewing Company: WSP USA

Project Manager: Tovah Karl

Data Evaluator: Julia Campbell

Data Evaluation Date: February 26, 2025

Checked by: Julie Lehrman

Review Date: February 26, 2025

Laboratory: Pace Analytical LLC

Lab SDG #: L2509992

Matrix: Aqueous Soil Sediment Waste Air Other:

Analytical Methods: See Table B-1

Sample Information: See Table B-1

Work Plan or QAPP: SPS Technologies Abington PA Surface Water and Outfall Sampling Plan (WSP, 2025)

Data Validation Guidance:

USEPA National Functional Guidelines (NFG) for Organic Superfund Methods Data Review (Nov. 2020)

USEPA NFG for Inorganic Superfund Methods Data Review (Nov. 2020)

COC and Sample Receipt	YES	NO	NA	COMMENT
a) COC complete and correct?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
b) COC documents release of custody (signed and dated)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
c) Field QC types provided (note types)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	TB; see Table 1
d) Did the cooler contents match the COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
e) Were samples received in good condition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
f) Were cooler temperatures within control limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

Data Package Information	YES	NO	NA	COMMENT
a) Laboratory name and location documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
b) All samples on COC reported in data package?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
c) Requested analytical methods used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
d) Requested sample preparation methods used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Requested analyte list reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
f) Requested units reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
g) Did the laboratory define the qualifiers used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
h) Data package contains all information necessary to complete the data quality review?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

Analytical Assessment	YES	NO	NA	COMMENT
a) Solid samples reported on a dry-weight basis?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b) Were solid samples percent moisture criteria acceptable?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c) Were sample dilutions noted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

Analytical Assessment

YES NO NA

COMMENT

- d) Were detected concentrations less than the QL qualified by the laboratory?
- e) Were detected concentrations above the calibration range reported by the laboratory?
- f) Did the laboratory satisfy the requested sensitivity requirements?

Laboratory Case Narrative

YES NO NA

COMMENT

- a) Do the laboratory narrative or laboratory qualifiers indicate deficiencies?
- b) Were all deficiencies noted in the laboratory qualifiers or narrative?

Sample Preservation and Holding Time

YES NO NA

COMMENT

- a) Were samples properly preserved?
- b) Were holding times met for sample preparation?
- c) Were holding times met for sample analysis?

Blanks

YES NO NA

COMMENTS

- a) Were blanks analyzed at the appropriate frequency?
- b) Were any analytes detected in the associated preparation/method blank?
- c) Were any analytes detected in the associated trip blanks?
- d) Were any analytes detected in the associated field or equipment/rinsate blanks?
- e) Were any analytes detected in the associated storage blanks?

Surrogates or Deuterated Monitoring Compounds

YES NO NA

COMMENTS

- a) Were the correct surrogate compounds added to each sample?
- b) Were surrogate recoveries within control limits?
- c) If not, were samples analyzed at dilution factors of 20x or greater?

LCS/LCSD

YES NO NA

COMMENTS

- a) Were LCS/LCSD reported at the appropriate frequency?
- b) Were proper analytes included in the LCS/LCSD?
- c) Were LCS/LCSD recoveries within control limits?
- d) Were RPD values within control limits (if LCSD was analyzed)?

MS/MSDs

YES NO NA

COMMENTS

- a) Were project-specific MS (and MSD) reported?
- b) Were proper analytes reported in the MS/MSD?

SW5_022425 (hex chrom only)

MS/MSDs	YES	NO	NA	COMMENTS
c) Were project-specific MS/MSD recoveries within control limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If not, were sample concentrations greater than 4x the spiking concentration?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
e) Was the RPD or absolute difference within control limits (if project-specific MSD analyzed)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f) Were project-specific post-digestion spikes analyzed?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
g) Were project-specific post-digestion spike recoveries within control limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Duplicates	YES	NO	NA	COMMENTS
a) Were project-specific laboratory duplicates reported?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b) Was laboratory duplicate RPD or absolute difference criteria acceptable?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c) Were field duplicates reported?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
d) Was field duplicate RPD or absolute difference criteria acceptable?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

ICP Serial Dilution (SD)	YES	NO	NA	COMMENTS
a) Was project-specific ICP SD data provided?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b) Were project-specific ICP SD within acceptable criteria?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Overall Evaluation	YES	NO	NA	COMMENTS
a) Were there any other technical problems not previously addressed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
b) Were data acceptable and usable, except where noted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

Comments/Notes:

The reliability of the analytical data was evaluated to assess its suitability for project use. In particular, a Stage 2A data validation was performed, which evaluates the data's precision, accuracy, and sensitivity based on adherence to sample holding times and analysis of the QC samples (duplicates, spikes, and blanks). Where appropriate, data qualifiers were applied following USEPA National Functional Guidelines (NFG) for Organic Superfund Methods Data Review (Nov. 2020) and USEPA NFG for Inorganic Superfund Methods Data Review (Nov. 2020), as applicable to the analytical methods used by the laboratory. Based on the data review, no qualification of sample results was warranted, and all data for the samples collected on February 23, 2025 was deemed suitable for project decision making. Further detail can be found in Table B-2.

Data Qualification: See Table B-2

**Table B-1
Sample Collection and Analysis Summary
SPS Technologies
Jenkintown, PA**

Laboratory Job	Field Identification	Matrix	Lab Identification	QC Samples	Collection Date	Analyses/Parameters							
						MEK and Toluene	Oil and Grease	Total Metals	Total Hardness	Trivalent Chromium	Free Cyanide	Total Cyanide	Hexavalent Chromium
						E624.1	E1664B	200.8	200.8	SM3500	SM4500CN-E(M)	SM4500CN-CE	SM3500CR-B
L2509992	SW5 022425	WS	L2509992-01	--	2/24/2025	X	X	X	X	X	X	X	X
L2509992	SW4 022425	WS	L2509992-02	--	2/24/2025	X	X	X	X	X	X	X	X
L2509992	SW3 022425	WS	L2509992-03	--	2/24/2025	X	X	X	X	X	X	X	X
L2509992	SW2 022425	WS	L2509992-04	--	2/24/2025	X	X	X	X	X	X	X	X
L2509992	SW1 022425	WS	L2509992-05	--	2/24/2025	X	X	X	X	X	X	X	X
L2509992	TBSW 022425	WQ	L2509992-06	TB	2/24/2025	X	--	--	--	--	--	--	X

Notes:

- 1) All analyses performed by Pace Analytical Westborough Facility, except for metals, hardness, and trivalent chromium which were performed at Pace Analytical Mansfield Lab.
- 2) Total Metals include: chromium and nickel.

Abbreviations:

MEK: methyl ethyl ketone (2-butanone)
 MS/MSD: Matrix Spike/Matrix Spike Duplicate
 QC: Quality Control
 TB: Trip Blank
 WS: Surface Water
 WQ: Quality Control Water

Table B-2
Qualifier Summary Table
SPS Technologies
Jenkintown, PA

<i>Laboratory Job</i>	<i>Sample Name</i>	<i>Analyte</i>	<i>New Result</i>	<i>New MDL</i>	<i>New RL</i>	<i>Qualifier</i>	<i>Reason</i>
L2509992	No Qualifiers Required						
L2509992	All samples	--	--		--	--	Laboratory applied U-qualifiers indicating non-detect results and J-qualifiers indicating results below the reporting limit are retained unless other qualifications are indicated in this table. All other laboratory qualifiers are removed.

Abbreviations:

MDL: Method Detection Limit
 RL: Reporting Limit
 SDG: Sample Delivery Group

APPENDIX C – LABORATORY ANALYTICAL REPORT



ANALYTICAL REPORT

Lab Number:	L2509992
Client:	WSP USA Inc. 10 Lake Center Drive Suite 205 Marlton, NJ 08053
ATTN:	Julie Lehrman
Phone:	(856) 793-2005
Project Name:	SPS TECHNOLOGIES
Project Number:	US0043268.2150
Report Date:	02/26/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2509992-01	SW5_022425	WATER	JENKINTOWN, PA	02/24/25 09:20	02/24/25
L2509992-02	SW4_022425	WATER	JENKINTOWN, PA	02/24/25 10:30	02/24/25
L2509992-03	SW3_022425	WATER	JENKINTOWN, PA	02/24/25 12:35	02/24/25
L2509992-04	SW2_022425	WATER	JENKINTOWN, PA	02/24/25 13:20	02/24/25
L2509992-05	SW1_022425	WATER	JENKINTOWN, PA	02/24/25 14:45	02/24/25
L2509992-06	TRIP BLANK	WATER	JENKINTOWN, PA	02/24/25 00:00	02/24/25

Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

Case Narrative (continued)

Report Revision

February 26, 2025: This report includes the results of the Hardness analysis performed on L2509992-01 through -05. In addition, the project number has been updated.

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Cristin Walker

Title: Technical Director/Representative

Date: 02/26/25

ORGANICS

VOLATILES

Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

SAMPLE RESULTS

Lab ID: L2509992-01
 Client ID: SW5_022425
 Sample Location: JENKINTOWN, PA

Date Collected: 02/24/25 09:20
 Date Received: 02/24/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 02/25/25 11:54
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
--	--	--	--	--	--	--

Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	86		60-140
Fluorobenzene	95		60-140
4-Bromofluorobenzene	94		60-140

Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

SAMPLE RESULTS

Lab ID: L2509992-02
 Client ID: SW4_022425
 Sample Location: JENKINTOWN, PA

Date Collected: 02/24/25 10:30
 Date Received: 02/24/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 02/25/25 11:19
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
--	--	--	--	--	--	--

Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	83		60-140
Fluorobenzene	89		60-140
4-Bromofluorobenzene	94		60-140

Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

SAMPLE RESULTS

Lab ID: L2509992-03
 Client ID: SW3_022425
 Sample Location: JENKINTOWN, PA

Date Collected: 02/24/25 12:35
 Date Received: 02/24/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 02/25/25 10:45
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	2.8	J	ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	82		60-140
Fluorobenzene	91		60-140
4-Bromofluorobenzene	96		60-140

Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

SAMPLE RESULTS

Lab ID: L2509992-04
 Client ID: SW2_022425
 Sample Location: JENKINTOWN, PA

Date Collected: 02/24/25 13:20
 Date Received: 02/24/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 02/25/25 10:11
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
--	--	--	--	--	--	--

Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	85		60-140
Fluorobenzene	94		60-140
4-Bromofluorobenzene	97		60-140

Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

SAMPLE RESULTS

Lab ID: L2509992-05
 Client ID: SW1_022425
 Sample Location: JENKINTOWN, PA

Date Collected: 02/24/25 14:45
 Date Received: 02/24/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 02/25/25 09:37
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	89		60-140
Fluorobenzene	92		60-140
4-Bromofluorobenzene	93		60-140

Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

SAMPLE RESULTS

Lab ID: L2509992-06
 Client ID: TRIP BLANK
 Sample Location: JENKINTOWN, PA

Date Collected: 02/24/25 00:00
 Date Received: 02/24/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 02/25/25 09:02
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	94		60-140
Fluorobenzene	101		60-140
4-Bromofluorobenzene	94		60-140

Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 128,624.1
Analytical Date: 02/25/25 08:28
Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-06 Batch: WG2033951-4					
Toluene	ND		ug/l	1.0	0.31
2-Butanone	ND		ug/l	10	1.0

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	85		60-140
Fluorobenzene	94		60-140
4-Bromofluorobenzene	94		60-140

Lab Control Sample Analysis
Batch Quality Control

Project Name: SPS TECHNOLOGIES

Lab Number: L2509992

Project Number: US0043268.2150

Report Date: 02/26/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-06 Batch: WG2033951-3								
Toluene	90		-		70-130	-		41
2-Butanone	98		-		60-140	-		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Pentafluorobenzene	87				60-140
Fluorobenzene	97				60-140
4-Bromofluorobenzene	91				60-140

METALS



Project Name: SPS TECHNOLOGIES**Lab Number:** L2509992**Project Number:** US0043268.2150**Report Date:** 02/26/25**SAMPLE RESULTS**

Lab ID: L2509992-01

Date Collected: 02/24/25 09:20

Client ID: SW5_022425

Date Received: 02/24/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.2551	J	ug/l	1.000	0.1780	1	02/25/25 07:02	02/25/25 14:46	EPA 3005A	3,200.8	MRC
Nickel, Total	7.409		ug/l	2.000	0.5560	1	02/25/25 07:02	02/25/25 14:46	EPA 3005A	3,200.8	MRC
Total Hardness (by calculation) - Mansfield Lab											
Hardness	213000		ug/l	540.0	NA	1	02/25/25 07:02	02/25/25 14:46	EPA 3005A	3,200.8	MRC
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		ug/l	10.0	3.00	1		02/25/25 14:46	NA	107,-	



Project Name: SPS TECHNOLOGIES**Lab Number:** L2509992**Project Number:** US0043268.2150**Report Date:** 02/26/25**SAMPLE RESULTS**

Lab ID: L2509992-02

Date Collected: 02/24/25 10:30

Client ID: SW4_022425

Date Received: 02/24/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.4766	J	ug/l	1.000	0.1780	1	02/25/25 07:02	02/25/25 15:08	EPA 3005A	3,200.8	MRC
Nickel, Total	10.87		ug/l	2.000	0.5560	1	02/25/25 07:02	02/25/25 15:08	EPA 3005A	3,200.8	MRC
Total Hardness (by calculation) - Mansfield Lab											
Hardness	232400		ug/l	540.0	NA	1	02/25/25 07:02	02/25/25 15:08	EPA 3005A	3,200.8	MRC
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		ug/l	10.0	3.00	1		02/25/25 15:08	NA	107,-	



Project Name: SPS TECHNOLOGIES**Lab Number:** L2509992**Project Number:** US0043268.2150**Report Date:** 02/26/25**SAMPLE RESULTS**

Lab ID: L2509992-03

Date Collected: 02/24/25 12:35

Client ID: SW3_022425

Date Received: 02/24/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.7083	J	ug/l	1.000	0.1780	1	02/25/25 07:02	02/25/25 15:13	EPA 3005A	3,200.8	MRC
Nickel, Total	20.75		ug/l	2.000	0.5560	1	02/25/25 07:02	02/25/25 15:13	EPA 3005A	3,200.8	MRC
Total Hardness (by calculation) - Mansfield Lab											
Hardness	248700		ug/l	540.0	NA	1	02/25/25 07:02	02/25/25 15:13	EPA 3005A	3,200.8	MRC
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		ug/l	10.0	3.00	1		02/25/25 15:13	NA	107,-	



Project Name: SPS TECHNOLOGIES**Lab Number:** L2509992**Project Number:** US0043268.2150**Report Date:** 02/26/25**SAMPLE RESULTS**

Lab ID: L2509992-04

Date Collected: 02/24/25 13:20

Client ID: SW2_022425

Date Received: 02/24/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.3728	J	ug/l	1.000	0.1780	1	02/25/25 07:02	02/25/25 15:22	EPA 3005A	3,200.8	MRC
Nickel, Total	0.7773	J	ug/l	2.000	0.5560	1	02/25/25 07:02	02/25/25 15:22	EPA 3005A	3,200.8	MRC
Total Hardness (by calculation) - Mansfield Lab											
Hardness	223100		ug/l	540.0	NA	1	02/25/25 07:02	02/25/25 15:22	EPA 3005A	3,200.8	MRC
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		ug/l	10.0	3.00	1		02/25/25 15:22	NA	107,-	



Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

SAMPLE RESULTS

Lab ID: L2509992-05
 Client ID: SW1_022425
 Sample Location: JENKINTOWN, PA

Date Collected: 02/24/25 14:45
 Date Received: 02/24/25
 Field Prep: Not Specified

Sample Depth:
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.4959	J	ug/l	1.000	0.1780	1	02/25/25 07:02	02/25/25 15:34	EPA 3005A	3,200.8	MRC
Nickel, Total	1.440	J	ug/l	2.000	0.5560	1	02/25/25 07:02	02/25/25 15:26	EPA 3005A	3,200.8	MRC
Total Hardness (by calculation) - Mansfield Lab											
Hardness	266000		ug/l	540.0	NA	1	02/25/25 07:02	02/25/25 15:26	EPA 3005A	3,200.8	MRC
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		ug/l	10.0	3.00	1		02/25/25 15:34	NA	107,-	



Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-05 Batch: WG2033692-1									
Chromium, Total	ND	ug/l	1.000	0.1780	1	02/25/25 07:02	02/25/25 14:03	3,200.8	MRC
Nickel, Total	ND	ug/l	2.000	0.5560	1	02/25/25 07:02	02/25/25 14:03	3,200.8	MRC

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness (by calculation) - Mansfield Lab for sample(s): 01-05 Batch: WG2033692-1									
Hardness	ND	ug/l	540.0	NA	1	02/25/25 07:02	02/25/25 14:03	3,200.8	MRC

Prep Information

Digestion Method: EPA 3005A



Lab Control Sample Analysis Batch Quality Control

Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-05 Batch: WG2033692-2								
Chromium, Total	99		-		85-115	-		
Nickel, Total	100		-		85-115	-		
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-05 Batch: WG2033692-2								
Hardness	92		-		85-115	-		



Matrix Spike Analysis Batch Quality Control

Project Name: SPS TECHNOLOGIES

Lab Number: L2509992

Project Number: US0043268.2150

Report Date: 02/26/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-05 QC Batch ID: WG2033692-3 QC Sample: L2509893-01 Client ID: MS Sample												
Chromium, Total	0.3750J	200	191.1	96		-	-		70-130	-		20
Nickel, Total	8.525	500	495.6	97		-	-		70-130	-		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-05 QC Batch ID: WG2033692-3 QC Sample: L2509893-01 Client ID: MS Sample												
Hardness	214800	66200	259300	67	Q	-	-		70-130	-		20

Lab Duplicate Analysis

Batch Quality Control

Project Name: SPS TECHNOLOGIES

Project Number: US0043268.2150

Lab Number: L2509992

Report Date: 02/26/25

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-05 QC Batch ID: WG2033692-4 QC Sample: L2509893-01 Client ID: DUP Sample						
Chromium, Total	0.3750J	0.3227J	ug/l	NC		20
Nickel, Total	8.525	8.583	ug/l	1		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-05 QC Batch ID: WG2033692-4 QC Sample: L2509893-01 Client ID: DUP Sample						
Hardness	214800	202700	ug/l	6		20



INORGANICS & MISCELLANEOUS

Project Name: SPS TECHNOLOGIES

Lab Number: L2509992

Project Number: US0043268.2150

Report Date: 02/26/25

SAMPLE RESULTS

Lab ID: L2509992-01

Date Collected: 02/24/25 09:20

Client ID: SW5_022425

Date Received: 02/24/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	10.2		ug/l	5.00	1.80	1	02/25/25 07:55	02/25/25 12:05	121,4500CN-CE	JER
Cyanide, Free	ND		ug/l	10.0	3.50	1	-	02/25/25 05:15	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		ug/l	4000	4000	1	02/25/25 08:08	02/25/25 10:17	140,1664B	TPR
Chromium, Hexavalent	ND		ug/l	10.0	3.00	1	02/25/25 06:52	02/25/25 07:14	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES

Lab Number: L2509992

Project Number: US0043268.2150

Report Date: 02/26/25

SAMPLE RESULTS

Lab ID: L2509992-02

Date Collected: 02/24/25 10:30

Client ID: SW4_022425

Date Received: 02/24/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	18.0		ug/l	5.00	1.80	1	02/25/25 07:55	02/25/25 12:06	121,4500CN-CE	JER
Cyanide, Free	4.00	J	ug/l	10.0	3.50	1	-	02/25/25 05:15	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		ug/l	4000	4000	1	02/25/25 08:08	02/25/25 11:15	140,1664B	TPR
Chromium, Hexavalent	ND		ug/l	10.0	3.00	1	02/25/25 06:52	02/25/25 07:17	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES

Lab Number: L2509992

Project Number: US0043268.2150

Report Date: 02/26/25

SAMPLE RESULTS

Lab ID: L2509992-03

Date Collected: 02/24/25 12:35

Client ID: SW3_022425

Date Received: 02/24/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	45.2		ug/l	5.00	1.80	1	02/25/25 07:55	02/25/25 12:07	121,4500CN-CE	JER
Cyanide, Free	11.0		ug/l	10.0	3.50	1	-	02/25/25 05:15	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	6600		ug/l	4000	4000	1	02/25/25 08:08	02/25/25 11:16	140,1664B	TPR
Chromium, Hexavalent	ND		ug/l	10.0	3.00	1	02/25/25 06:52	02/25/25 07:18	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

SAMPLE RESULTS

Lab ID: L2509992-04
Client ID: SW2_022425
Sample Location: JENKINTOWN, PA

Date Collected: 02/24/25 13:20
Date Received: 02/24/25
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		ug/l	5.00	1.80	1	02/25/25 07:55	02/25/25 12:08	121,4500CN-CE	JER
Cyanide, Free	ND		ug/l	10.0	3.50	1	-	02/25/25 05:15	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		ug/l	4000	4000	1	02/25/25 08:08	02/25/25 11:16	140,1664B	TPR
Chromium, Hexavalent	ND		ug/l	10.0	3.00	1	02/25/25 06:52	02/25/25 07:19	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

SAMPLE RESULTS

Lab ID: L2509992-05
Client ID: SW1_022425
Sample Location: JENKINTOWN, PA

Date Collected: 02/24/25 14:45
Date Received: 02/24/25
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		ug/l	5.00	1.80	1	02/25/25 07:55	02/25/25 12:09	121,4500CN-CE	JER
Cyanide, Free	ND		ug/l	10.0	3.50	1	-	02/25/25 05:15	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		ug/l	4000	4000	1	02/25/25 08:08	02/25/25 11:18	140,1664B	TPR
Chromium, Hexavalent	ND		ug/l	10.0	3.00	1	02/25/25 06:52	02/25/25 07:20	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

Method Blank Analysis
Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-05 Batch: WG2033614-1									
Oil & Grease, Hem-Grav	ND	ug/l	4000	4000	1	02/24/25 22:22	02/25/25 00:43	140,1664B	IYM
General Chemistry - Westborough Lab for sample(s): 01-05 Batch: WG2033676-1									
Cyanide, Free	ND	ug/l	10.0	3.50	1	-	02/25/25 05:15	121,4500CN-E(M)	KAF
General Chemistry - Westborough Lab for sample(s): 01-05 Batch: WG2033677-1									
Chromium, Hexavalent	ND	ug/l	10.0	3.00	1	02/25/25 06:52	02/25/25 07:07	121,3500CR-B	DMO
General Chemistry - Westborough Lab for sample(s): 01-05 Batch: WG2033742-1									
Cyanide, Total	ND	ug/l	5.00	1.80	1	02/25/25 07:55	02/25/25 11:52	121,4500CN-CE	JER



Lab Control Sample Analysis Batch Quality Control

Project Name: SPS TECHNOLOGIES

Lab Number: L2509992

Project Number: US0043268.2150

Report Date: 02/26/25

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
General Chemistry - Westborough Lab Associated sample(s): 01-05 Batch: WG2033614-2								
Oil & Grease, Hem-Grav	88		-		78-114	-		18
General Chemistry - Westborough Lab Associated sample(s): 01-05 Batch: WG2033676-2								
Cyanide, Free	97		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-05 Batch: WG2033677-2								
Chromium, Hexavalent	95		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-05 Batch: WG2033742-2								
Cyanide, Total	97		-		90-110	-		

Matrix Spike Analysis Batch Quality Control

Project Name: SPS TECHNOLOGIES

Lab Number: L2509992

Project Number: US0043268.2150

Report Date: 02/26/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-05 QC Batch ID: WG2033614-4 WG2033614-5 QC Sample: L2509865-01 Client ID: MS Sample												
Oil & Grease, Hem-Grav	ND	40800	39000	96		36000	89		78-114	8		18
General Chemistry - Westborough Lab Associated sample(s): 01-05 QC Batch ID: WG2033676-4 WG2033676-5 QC Sample: L2509865-01 Client ID: MS Sample												
Cyanide, Free	5.00J	250	225	90		219	88		80-120	3		20
General Chemistry - Westborough Lab Associated sample(s): 01-05 QC Batch ID: WG2033677-4 QC Sample: L2509992-01 Client ID: SW5_022425												
Chromium, Hexavalent	ND	100	99.0	99		-	-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-05 QC Batch ID: WG2033742-3 QC Sample: L2509893-01 Client ID: MS Sample												
Cyanide, Total	36.1	200	207	85	Q	-	-		90-110	-		30

Lab Duplicate Analysis

Batch Quality Control

Project Name: SPS TECHNOLOGIES

Project Number: US0043268.2150

Lab Number: L2509992

Report Date: 02/26/25

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-05 QC Batch ID: WG2033614-3 QC Sample: L2509865-01 Client ID: DUP Sample						
Oil & Grease, Hem-Grav	ND	ND	ug/l	NC		18
General Chemistry - Westborough Lab Associated sample(s): 01-05 QC Batch ID: WG2033676-3 QC Sample: L2509865-01 Client ID: DUP Sample						
Cyanide, Free	5.00J	4.00J	ug/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01-05 QC Batch ID: WG2033677-3 QC Sample: L2509992-01 Client ID: SW5_022425						
Chromium, Hexavalent	ND	ND	ug/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01-05 QC Batch ID: WG2033742-4 QC Sample: L2509893-01 Client ID: DUP Sample						
Cyanide, Total	36.1	12.0	ug/l	100	Q	30

Project Name: SPS TECHNOLOGIES**Lab Number:** L2509992**Project Number:** US0043268.2150**Report Date:** 02/26/25**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Present/Not Intact
B	Present/Not Intact

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2509992-01A	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-01B	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-01C	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-01D	Plastic 250ml HNO3 preserved	B	<2	<2	3.6	Y	Present/Not Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)
L2509992-01E	Plastic 250ml NaOH preserved	B	>12	>12	3.6	Y	Present/Not Intact		TCN-4500-PPB(14)
L2509992-01F	Plastic 500ml unpreserved	B	7	7	3.6	Y	Present/Not Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2509992-01G	Amber 1L HCl preserved	B	NA		3.6	Y	Present/Not Intact		OG-1664-PPB(28)
L2509992-01H	Amber 1L HCl preserved	B	NA		3.6	Y	Present/Not Intact		OG-1664-PPB(28)
L2509992-02A	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-02B	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-02C	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-02D	Plastic 250ml HNO3 preserved	B	<2	<2	3.6	Y	Present/Not Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)
L2509992-02E	Plastic 250ml NaOH preserved	B	>12	>12	3.6	Y	Present/Not Intact		TCN-4500-PPB(14)
L2509992-02F	Plastic 500ml unpreserved	B	7	7	3.6	Y	Present/Not Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2509992-02G	Amber 1L HCl preserved	B	NA		3.6	Y	Present/Not Intact		OG-1664-PPB(28)

Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Serial_No:02262510:55
Lab Number: L2509992
Report Date: 02/26/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2509992-02H	Amber 1L HCl preserved	B	NA		3.6	Y	Present/Not Intact		OG-1664-PPB(28)
L2509992-03A	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-03B	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-03C	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-03D	Plastic 250ml HNO3 preserved	B	<2	<2	3.6	Y	Present/Not Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)
L2509992-03E	Plastic 250ml NaOH preserved	B	>12	>12	3.6	Y	Present/Not Intact		TCN-4500-PPB(14)
L2509992-03F	Plastic 500ml unpreserved	B	7	7	3.6	Y	Present/Not Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2509992-03G	Amber 1L HCl preserved	B	NA		3.6	Y	Present/Not Intact		OG-1664-PPB(28)
L2509992-03H	Amber 1L HCl preserved	B	NA		3.6	Y	Present/Not Intact		OG-1664-PPB(28)
L2509992-04A	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-04B	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-04C	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-04D	Plastic 250ml HNO3 preserved	A	<2	<2	4.3	Y	Present/Not Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)
L2509992-04E	Plastic 250ml NaOH preserved	A	>12	>12	4.3	Y	Present/Not Intact		TCN-4500-PPB(14)
L2509992-04F	Plastic 500ml unpreserved	A	7	7	4.3	Y	Present/Not Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2509992-04G	Amber 1L HCl preserved	A	NA		4.3	Y	Present/Not Intact		OG-1664-PPB(28)
L2509992-04H	Amber 1L HCl preserved	A	NA		4.3	Y	Present/Not Intact		OG-1664-PPB(28)
L2509992-05A	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-05B	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-05C	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)



Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Serial_No:02262510:55
Lab Number: L2509992
Report Date: 02/26/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2509992-05D	Plastic 250ml HNO3 preserved	A	<2	<2	4.3	Y	Present/Not Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)
L2509992-05E	Plastic 250ml NaOH preserved	A	>12	>12	4.3	Y	Present/Not Intact		TCN-4500-PPB(14)
L2509992-05F	Plastic 500ml unpreserved	A	7	7	4.3	Y	Present/Not Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2509992-05G	Amber 1L HCl preserved	A	NA		4.3	Y	Present/Not Intact		OG-1664-PPB(28)
L2509992-05H	Amber 1L HCl preserved	A	NA		4.3	Y	Present/Not Intact		OG-1664-PPB(28)
L2509992-06A	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)
L2509992-06B	Vial Na2S2O3 preserved	B	NA		3.6	Y	Present/Not Intact		624.1(7)



Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: SPS TECHNOLOGIES
Project Number: US0043268.2150

Lab Number: L2509992
Report Date: 02/26/25

REFERENCES

- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 107 Calculation method.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.
- 128 Method 624.1: Purgeables by GC/MS, EPA 821-R-16-008, December 2016.
- 140 Method 1664, Revision B: N-Hexane Extractable Material (HEM; Oil & Grease) and Silica Gel Treated N-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, EPA-821-R-10-001, February 2010.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at its own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Pace Analytical Services LLC

ID No.:17873

Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 1 of 2

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

MADEP-APH.**Nonpotable Water:** EPA RSK-175 Dissolved Gases**Biological Tissue Matrix:** EPA 3050B**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048****EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Nonpotable Water: EPA RSK-175 Dissolved Gases

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048**Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**Ammonia-N, **LCHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,****SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.****Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.****EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

Pace Analytical Services LLC

ID No.:17873

Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 2 of 2

Certification IDs:**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

CT PH-0826, IL 200077, IN C-MA-03, KY JY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 3090, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048

ANAB/DoD L2474, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

For a complete listing of analytes and methods, please contact your Project Manager.



CHAIN OF CUSTODY

PAGE _____ OF _____

L2509992 25FEB25
GOLDER - NJ

Project Information

Project Name: **SPS Technologies**
Project Location: **Jen Kintown, PA**
Project #: **-**
Project Manager: **Tovah Karl**
ALPHA Quote #:

Report Information - Data Deliverables

Date Rec'd in Lab: **2/25/25**
 FAX EMAIL
 ADEx Add'l Deliverables

Billing Information

Same as Client info PO #:

Client Information

Client: **WSP USA, Inc.**
Address: **10 Lake Center Drive**
Suite 205, Marlton, NJ 08053
Phone: **856-793-2005**
Fax: **856-793-2006**
Email: **Tovah.Karl@wsp.com**
Stacy.Mason@wsp.com
 These samples have been previously analyzed by Alpha

Turn-Around Time

Standard RUSH (only confirmed if pre-approved)
Date Due: _____ Time: **1 day**

Regulatory Requirements/Report Limits

State /Fed Program: **PA** Criteria:

Other Project Specific Requirements/Comments/Detection Limits:
Attorney-client privileged & confidential
All VOAs in 1 cooler.

ANALYSIS	SAMPLE HANDLING										TOTAL # BOTTLES	
	Filtration _____ <input type="checkbox"/> Done <input type="checkbox"/> Not needed Preservation <input type="checkbox"/> Lab to do <input type="checkbox"/> Lab to do (Please specify below)											
Oil + Grease E16648											Sample Specific Comments pH-6.56 pH-7.21 pH-7.45 pH-8.27 pH-7.60	8
Total Cyanide 4500	X	X	X	X	X	X	X	X	X	X		
Free Cyanide 4500	X	X	X	X	X	X	X	X	X	X		
Total Nickel 4500	X	X	X	X	X	X	X	X	X	X		
Total Chromium E200.8	X	X	X	X	X	X	X	X	X	X		
Speciated Hexavalent Chromium E200.8	X	X	X	X	X	X	X	X	X	X		
MEK & Toluene E624.1												3

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	ANALYSIS										Sample Specific Comments	TOTAL # BOTTLES				
		Date	Time			Oil + Grease E16648	Total Cyanide 4500	Free Cyanide 4500	Total Nickel 4500	Total Chromium E200.8	Speciated Hexavalent Chromium E200.8	MEK & Toluene E624.1									
09992-01	SW5-022425	2/24/25	0920	SW	JET	X	X	X	X	X	X	X	X	X	X	X	X	X	X	pH-6.56	8
02	SW4-022425	2/24/25	1030	SW	JET	X	X	X	X	X	X	X	X	X	X	X	X	X	X	pH-7.21	8
03	SW3-022425	2/24/25	1235	SW	JET	X	X	X	X	X	X	X	X	X	X	X	X	X	X	pH-7.45	8
04	SW2-022425	2/24/25	1320	SW	JET	X	X	X	X	X	X	X	X	X	X	X	X	X	X	pH-8.27	8
05	SW1-022425	2/24/25	1445	SW	JET	X	X	X	X	X	X	X	X	X	X	X	X	X	X	pH-7.60	8
06	TBSW-022425	2/24/25	-	W	-																3

Container Type: **A P P P P P V**
Preservative: **B E A C C A B**

Relinquished By: **Stacy Mason** Date/Time: **2/24/25 1610**
Anthony Green Date/Time: **2/24/25 1805**
Received By: **Anthony Green** Date/Time: **2/24/25 1610**
Chris Pace Date/Time: **2/24/25 1805**

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

21250215

ACE ANALYTICAL

Custody seal was received intact from client. The seal has been broken by ACE representative to add ice

Apply label over or close to the original seal

A

CUSTODY SEAL

Date 2/24/25
Signature [Signature]

Thermo SCIENTIFIC

90009

CUSTODY SEAL

Date 2/24/25
Signature [Signature]

Thermo SCIENTIFIC

90009

CUSTODY SEAL

Date 2/24/25
Signature [Signature]

Thermo SCIENTIFIC

90009

CUSTODY SEAL

Date 2/24/25
Signature [Signature]

Thermo SCIENTIFIC

90009

CUSTODY SEAL

Date 2/24/25
Signature [Signature]

Thermo SCIENTIFIC

90009

B

PACE ANALYTICAL

Custody seal was received intact from client. The seal has been broken by PACE representative to add ice

Apply label over or close to the original seal