



SPS Technologies Abington PA  
February 26, 2025 Daily Surface Water  
and Outfall Sampling Results Report

SPS Technologies

2025-02-28



## Table of Contents

<b>1.</b>	<b>Executive Summary</b>	<b>2</b>
<b>2.</b>	<b>Introduction</b>	<b>2</b>
<b>3.</b>	<b>Site Background</b>	<b>3</b>
<b>4.</b>	<b>Tookany Creek Offsite Investigation</b>	<b>3</b>
4.1	Sampling Locations	3
4.2	Surface Water and Outfall Sampling Field Methodology	3
4.3	Sample Analysis	3
4.4	Surface Water Sampling Daily Results	3
4.5	Outfall Sampling Daily Results	4
<b>5.</b>	<b>Daily Quality Assurance/Quality Control and Management</b>	<b>4</b>
5.1	Field Quality Assurance/Quality Control Requirements	4
5.2	Analytical QA/QC Samples	4
5.3	Data Evaluation	4
<b>6.</b>	<b>References</b>	<b>4</b>

## TABLES

Table 1 Daily Surface Water Sampling Results

Table 2 Daily Outfall Sampling Results

## FIGURES

Figure 1 Surface Water and Outfall Sample Locations

Figure 2 Downstream Surface Water Sample Locations

## Appendices

Appendix A Daily Surface Water Sampling Log

Appendix B Data Validation Report

Appendix C Laboratory Analytical Report

## 1. Executive Summary

WSP USA Inc. (WSP), on behalf of SPS Technologies Abington PA (SPS), collected five surface water samples and two outfall samples in accordance with SPS's Sampling Plan, which was submitted to the Philadelphia Water Department (PWD), the Pennsylvania Department of Environmental Protection (PADEP), and the United States Environmental Protection Agency (EPA). The samples were submitted to a Pennsylvania-certified analytical laboratory for analysis. The sample locations are shown in the attached **Figures 1** and **2** and the results of the analysis are shown below.

Surface Water Samples:

		Upstream Offsite SW Sample Location 1	Upstream Offsite SW Sample Location 2	SW Sample Location 3	High School Road Sample Location	High School Road Sample Location Duplicate	Downstream SW Sample Location
Parameter	Units	Result	Result	Result	Result	Result	Result
Toluene	mg/L	ND	ND	ND	ND	ND	ND
2-Butanone (MEK)	mg/L	ND	ND	ND	ND	ND	ND
Chromium, Trivalent	mg/L	ND	ND	ND	ND	ND	ND
Chromium, Hexavalent	mg/L	ND	ND	ND	ND	ND	ND
Total Cyanide	mg/L	ND	ND	0.0206	0.00684	0.00643	0.00271
Free Cyanide	mg/L	ND	ND	0.007	ND	ND	0.004
Oil & Grease	mg/L	ND	ND	6.5	ND	ND	ND
Total Chromium	mg/L	ND	ND	ND	ND	ND	ND
Total Nickel	mg/L	0.0007536	0.001594	0.009708	0.006506	0.006326	0.004158
Dissolved Chromium	mg/L	ND	ND	ND	ND	ND	ND
Dissolved Nickel	mg/L	0.000764	0.001859	0.0101	0.006193	0.006389	0.004061
Hardness	µg/L	230.9	284	245.4	241.4	236.1	202.3
pH	SU	8.41	7.57	7.18	7.07	7.07	6.58

Outfall Samples:

		Outfall 004	Outfall 004 Duplicate	Outfall 006
Parameter	Units	Result	Result	Result
Total Suspended Solids	mg/L	17	13	ND
Nitrate/Nitrite as Nitrogen	mg/L	2.2	2.2	4.6
Chemical Oxygen Demand	mg/L	76	79	34
Total Aluminum	mg/L	0.04425	0.02079	0.02052
Total Copper	mg/L	0.00966	0.008241	0.007593
Total Iron	mg/L	0.1031	0.06121	0.1648
Total Lead	mg/L	0.002453	0.00107	0.001236
pH	SU	6.68	6.68	7.23

A detailed description of the sampling procedure, results, and data evaluation are included in this Report. The laboratory data validation reports and the complete laboratory analytical reports, including Quality Assurance/Quality Control (QA/QC) are attached to the Report.

## 2. Introduction

This Daily Surface Water and Outfall Sampling Results Report (Report) has been prepared by WSP USA Inc. (WSP) on behalf of SPS Technologies Abington PA (SPS), which operates the facility located at 301 Highland Ave, Jenkintown, Pennsylvania, 19046 (the Facility). The purpose of the Report is to provide off-site surface water and outfall sampling results collected in accordance with SPS's Sampling Plan, as prepared by WSP, which was submitted to the Philadelphia Water Department (PWD), the Pennsylvania

Department of Environmental Protection (PADEP), and the United States Environmental Protection Agency (EPA) on February 21, 2025 and revised on February 25, 2025 (Sampling Plan). Refer to Sampling Plan **Figures 1** and **2** for sampling locations.

### 3. Site Background

SPS Technologies currently owns the Site. Operations at the Site consist of manufacturing bolts, nuts, screws, rivets, washers, furniture, and fixtures. Tookany Creek is located south of the SPS building and north of Paxson Ave.

### 4. Tookany Creek Offsite Investigation

#### 4.1 Sampling Locations

The sampling locations displayed on **Figure 1** and **Figure 2** were selected based on discussions with PWD and PADEP and were identified in the Sampling Plan.

#### 4.2 Surface Water and Outfall Sampling Field Methodology

The surface water and outfall sampling methodology was in accordance with the Sampling Plan.

The surface water and outfall field data collected for the surface water and outfall samples at each sampling location included the following:

- Water depth (for surface water samples only)
- Weather conditions
- Water velocity (if visibly flowing)
- Sample characteristics (clarity, appearance, color, odor, etc.)
- Water quality measurements (DO, pH, salinity, ORP, turbidity, conductivity, and temperature)
- Additional observations (e.g., wildlife sightings)

This data is documented on the daily surface water sampling forms attached in **Appendix A**. The in-field measurements of pH are provided on **Table 1** and **2**.

#### 4.3 Sample Analysis

All samples were submitted to Pace Analytical in Westborough, Massachusetts (Certification No. 68-03671) and Pace Analytical in Mansfield, Massachusetts (Certification No. 68-02089), following chain-of-custody protocols.

#### 4.4 Surface Water Sampling Daily Results

In accordance with the Sampling Plan, surface water samples were analyzed for the following parameters.

- Oil & grease
- Free cyanide
- Total cyanide
- Total nickel
- Total chromium
- Hexavalent chromium (speciated)
- Methyl ethyl ketone (MEK)
- Toluene

The validated daily analytical results from surface water sampling are presented in **Table 1**.

#### 4.5 Outfall Sampling Daily Results

In accordance with the Sampling Plan, outfall samples were analyzed for the following parameters:

- Chemical Oxygen Demand
- Total Suspended Solids
- Nitrate-Nitrite as N
- Total Aluminum
- Total Copper
- Total Iron
- Total Lead

The validated daily analytical results from outfall sampling are presented in **Table 2**.

### 5. Daily Quality Assurance/Quality Control and Management

#### 5.1 Field Quality Assurance/Quality Control Requirements

Field personnel performed data quality control (QC) verification of field measurements in consultation with the Pennsylvania Department of Environmental Protection Sampling and Analysis Plan (PADEP, 2023). This process included reviewing calibration records and duplicate readings to ensure data accuracy. Field measurements were documented in notebooks or field information forms. pH readings are also summarized in **Table 1**.

All hand equipment used during the sampling event was cleaned with Alconox and distilled water. Disposable sampling cups were used to collect the samples. Field personnel wore disposable nitrile sampling gloves. Sampling gloves were discarded after processing at each sample location and replaced before handling decontaminated equipment or work surfaces.

#### 5.2 Analytical QA/QC Samples

All quality assurance/quality control (QA/QC), field duplicates (FD), and matrix spikes/matrix spike duplicates (MS/MSD) were collected in accordance with the Sampling Plan.

Trip blanks (TBs) accompanied each shipment of toluene and MEK samples at a rate of one per day. The following QA/QC samples were collected at a rate of 1 per 20 primary samples during each monitoring event: field duplicates (FD) and matrix spikes/matrix spike duplicates (MS/MSD). No field (rinsate) blanks were collected because single-use sample cups were used to collect the samples.

#### 5.3 Data Evaluation

The reliability of the analytical data were evaluated to assess its suitability for use in the monitoring. In particular, the data's precision, accuracy, and sensitivity were evaluated based on field sampling documentation, adherence to sample holding times, and analysis of the QC samples (duplicates, spikes, and blanks). Data validation of the laboratory data was in accordance with the Sampling Plan. The data validation report is attached as **Appendix B**.

### 6. References

1. SPS Technologies, Sampling Plan. 25 Feb. 2025.
2. Pennsylvania Department of Environmental Protection. Water Quality Monitoring Protocols for Surface Waters. 2023.

## FIGURES & TABLES & APPENDICES






**SOURCE**  
NEARMAP IMAGERY, JUNE 16, 2024.

**LEGEND**  
 SW = SURFACE WATER  
 ● SURFACE WATER SAMPLE LOCATION  
 ● APPROXIMATE OUTFALL SAMPLE LOCATION



WSP USA Inc.  
751 Arbor Way, Suite 180  
Blue Bell, PA 19422  
Tel. 610-828-8100  
www.wsp.com

PROJECTION / DATUM: PA83-SF  
 PREPARED BY: PJC  
 CHECKED BY: KM  
 REVIEWED BY: TK



CLIENT

PROJECT

**SURFACE WATER AND  
OUTFALL SAMPLING  
RESULTS REPORT**

TITLE

**SURFACE WATER AND  
OUTFALL SAMPLE LOCATIONS**

PROJECT NO.: US0043268.2150  
 REVISION NO.: 0  
 DATE: FEBRUARY 2025  
 FIGURE NO.:

**1**





**SOURCE**  
 GEOMAP IMAGERY, 2025.

**LEGEND**  
 SW = SURFACE WATER  
 ● SURFACE WATER SAMPLE LOCATION



WSP USA Inc.  
 751 Arbor Way, Suite 180  
 Blue Bell, PA 19422  
 Tel. 610-828-8100  
 www.wsp.com

PROJECTION / DATUM: PA83-SF  
 PREPARED BY: PJC  
 CHECKED BY: KM  
 REVIEWED BY: TK  
 SCALE: 1" = 3,000'

CLIENT

PROJECT  
**SURFACE WATER AND  
 OUTFALL SAMPLING  
 RESULTS REPORT**

TITLE  
**OFF-SITE SURFACE WATER SAMPLE LOCATIONS**

PROJECT NO.: US0043268.2150  
 REVISION NO.: 0  
 DATE: FEBRUARY 2025  
 FIGURE NO.:



**Table 1**  
**Surface Water Analytical Results**  
**Daily Surface Water Sampling Results Report**  
**SPS Technologies**  
**Jenkintown, Pennsylvania**

Sample Location	Upstream Offsite SW Sample Location 1			Upstream Offsite SW Sample Location 2			SW Sample Location 3			High School Road Sample Location			High School Road Sample Location Duplicate			Downstream SW Sample Location			
	Field Sample ID	Lab Sample ID	Sampling Date	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	
Matrix	Water			Water			Water			Water			Water			Water			
Parameter	Units	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL
<b>Volatile Organic Compounds</b>																			
Toluene	mg/L	ND		0.001	ND		0.001	ND		0.001	ND		0.001	ND		0.001	ND		0.001
2-Butanone (MEK)	mg/L	ND		0.01	ND		0.01	ND		0.01	ND		0.01	ND		0.01	ND		0.01
<b>General Chemistry</b>																			
Chromium, Trivalent	mg/L	ND		0.01	ND		0.01	ND		0.01	ND		0.01	ND		0.01	ND		0.01
Chromium, Hexavalent	mg/L	ND		0.01	ND		0.01	ND		0.01	ND		0.01	ND		0.01	ND		0.01
Total Cyanide	mg/L	ND		0.005	ND		0.005	0.0206		0.005	0.00684		0.005	0.00643		0.005	0.00271	J	0.005
Free Cyanide	mg/L	ND		0.01	ND		0.01	0.007	J	0.01	ND		0.01	ND		0.01	0.004	J	0.01
Oil & Grease	mg/L	ND		4	ND		4	6.5		4	ND		4.4	ND		4	ND		4
<b>Total Metals</b>																			
Total Chromium	mg/L	ND		0.001	ND		0.001	ND		0.001	ND		0.001	ND		0.001	ND		0.001
Total Nickel	mg/L	0.0007536	J	0.002	0.001594	J	0.002	0.009708		0.002	0.006506		0.002	0.006326		0.002	0.004158		0.002
<b>Dissolved Metals</b>																			
Dissolved Chromium	mg/L	ND		0.001	ND		0.001	ND		0.001	ND		0.001	ND		0.001	ND		0.001
Dissolved Nickel	mg/L	0.000764	J	0.002	0.001859	J	0.002	0.0101		0.002	0.006193		0.002	0.006389		0.002	0.004061		0.002
<b>Total Hardness</b>																			
Hardness	µg/L	230.9		0.54	284		0.54	245.4		0.54	241.4		0.54	236.1		0.54	202.3		0.54
<b>Field Parameters</b>																			
pH <sup>1</sup>	SU	8.41			7.57			7.18			7.07			7.07			6.58		

**Notes:**

1.) Field measurements for pH were performed by WSP field personnel prior to sample collection using a Horiba U-52. Field measurements were not validated.

**Abbreviations:**

mg/L: milligrams per liter  
 ND: Non-Detect  
 Q: Qualifier  
 RL: Reporting Limit  
 SU: Standard Units

**Qualifiers:**

J - Estimated Result





**Table 2**  
**Outfall Analytical Results**  
**Daily Surface Water Sampling Results Report**  
**SPS Technologies**  
**Jenkintown, Pennsylvania**

Sample Location	Outfall 004			Outfall 004 Duplicate			Outfall 006			
Field Sample ID	OF004_022625			FD0F_022625			OF006_022625			
Lab Sample ID	L2510603-01			L2510603-02			L2510603-03			
Sampling Date	2/26/2025			2/26/2025			2/26/2025			
Matrix	Water			Water			Water			
Parameter	Units	Result	Q	RL	Result	Q	RL	Result	Q	RL
<b>General Chemistry</b>										
Total Suspended Solids	mg/L	17		5	13		5	ND		5
Nitrate/Nitrite as Nitrogen	mg/L	2.2		0.1	2.2		0.1	4.6		0.1
Chemical Oxygen Demand	mg/L	76		20	79		20	34		20
<b>Total Metals</b>										
Total Aluminum	mg/L	0.04425	J	0.01	0.02079	J	0.01	0.02052		0.01
Total Copper	mg/L	0.00966		0.001	0.008241		0.001	0.007593		0.001
Total Iron	mg/L	0.1031	J	0.05	0.06121	J	0.05	0.1648		0.05
Total Lead	mg/L	0.002453	J	0.001	0.00107	J	0.001	0.001236		0.001
<b>Field Parameters</b>										
pH <sup>1</sup>	SU	6.68			6.68			7.23		

**Notes:**

1.) Field measurements for pH were performed by WSP field personnel prior to sample collection using a Horiba U-52. Field measurements were not validated.

**Abbreviations:**

mg/L: milligrams per liter  
 NA: Not Applicable  
 ND: Non-Detect  
 Q: Qualifier  
 RL: Reporting Limit  
 SU: Standard Units

Created By: SNM 2/28/2025  
 Checked By: JKC 2/28/2025





**APPENDIX A – DAILY SURFACE WATER AND OUTFALL SAMPLING LOGS**



2126125

2/23/2025

Project Number: TBD

## SURFACE WATER SAMPLE FIELD INFORMATION FORM

Site: SPS

Location: Abington

Project Number: US 8043269, 2150

Meter/Type/Serial #: Horiba U-52 # S/N: SVSR3076

Meter Calibrated @: \_\_\_\_\_

Flow Meter: FH950 Meter # S/N: K22641004154

Sampling Date/Time: SW5-022625 @ 9:45 2/26/25, SW4-022625 @ 10:40 2/26/25, SW3-022625 @ 11:35 2/26/25, SW2-022625 @ 13:10 2/26/25, SW1-022625 @ 13:40 2/26/25

Sampler(s): JRT, DL

Sampling Device: Telescope pole + Dipper Ladle

Sample Characteristics: SW5-022625 clear no odor, SW4-022625 clear no odor, SW3-022625 clear no odor sheen, SW2-022625 clear no odor, SW1-022625 clear no odor

Analytical Parameters: \_\_\_\_\_

Weather Conditions: clear 39°F

Additional Notes: - SW5-022625 MS/MJD collected  
 - SW4-022625, FDSW-022625 collected  
 - SW3-022625 sheen present, Lewis vial/corner wadding through crease disturbing sediment  
 - All PID reading 0.0 all day at all locations

STATION / SAMPLE	STATION DESCRIPTION (stream/lake/river)	DATE mm/dd/yy	TIME hr:min	TOTAL DEPTH inches	SAMPLE DEPTH inches	WATER TEMP Celsius	pH SU	COND mS/cm	ORP mV	TURBIDITY NTU	DO mg/L	VELOCITY ft/sec
SW5-022625	Creek	2/26/25	9:45	16.5	8.25	7.73	6.58	0.772	+470	0.0	7.84	2.05
Sample Characteristics:				Salinity: 0.4 ppt clear, no odor								
SW4-022625	Creek	2/26/25	10:40	72	36	8.93	7.07	0.844	+279	0.0	9.39	1.5
Sample Characteristics:				Salinity: 0.4 PPT, clear, no odor								
SW3-022625	Creek	2/26/25	11:35	18.5	9.25	10.78	7.18	0.728	+197	1.4	8.59	1.23
Sample Characteristics:				Salinity: 0.4 PPT, clear, no odor, sheen.								
SW2-022625	Creek	2/26/25	13:10	6	3	15.43	8.41	0.666	+184	0.0	10.35	0.38
Sample Characteristics:				Salinity: 0.3 PPT, clear, no odor.								
SW1-022625	Creek	2/26/25	13:40	13.5	6.75	14.11	7.57	1.00	+211	0.0	8.66	1.83
Staff Gauge Reading												
Sample Characteristics:				Salinity: 0.5								



2/27/25

# outfall field information form

SURFACE WATER CIRCUITRY - ALL SAMPLE FIELD INFORMATION FORM

Additional Notes:

Site Location: SPS  
Jenkintown PA  
 Project Number: US0043268.2150  
 Meter type: Monitor 52 S/N: 227785  
 Meter calibrated @ Flowmeter S/N:  
 Sampling date: 02/26/25  
 Samplers: LB5  
 Sampling Level:  
 Sample Container:  
 Analytical Parameters:

Weather conditions: 40s-50s Sunny

STATION SAMPLE	STATION DESCRIPTION	DATE	TIME	TOTAL DEPTH	SAMPLE DEPTH	WATER TEMP Celsius	SALINITY ppt	pH SU	COND mS/cm	ORP mV	TURBIDITY NTU	DO mg/L	VELOCITY ft/sec
<u>0F004-022625</u>	<u>outfall</u>	<u>02/26/25</u>	<u>0930</u>			<u>11.18</u>	<u>0.44</u>	<u>6.68</u>	<u>0.889</u>	<u>182</u>	<u>0</u>	<u>8.23</u>	<u>normal A c</u>
<u>0F006-022625</u>	<u>outfall</u>	<u>02/26/25</u>	<u>1340</u>			<u>12.73</u>	<u>0.28</u>	<u>7.23</u>	<u>0.592</u>	<u>87</u>	<u>0</u>	<u>9.63</u>	<u>flow present</u>
<u>well head sheet flow-022625</u>	<u>outfall</u>	<u>02/26/25</u>	<u>1350</u>			<u>15.51</u>	<u>0.37</u>	<u>7.37</u>	<u>0.756</u>	<u>248</u>	<u>0</u>	<u>0.28</u>	<u>minor sheet</u>

WSP



## **APPENDIX B – DATA VALIDATION REPORT**

**QA LEVEL 2A - DATA VERIFICATION/DATA VALIDATION CHECKLIST**

---

**Project Name:** SPS Technologies

**Project Number/Phase/Task:** US0043268.2150-US-SPS Client Support. Task 01

**Reviewing Company:** WSP USA

**Project Manager:** Tovah Karl

**Data Evaluator:** Julia Campbell

**Data Evaluation Date:** February 27, 2025

**Checked by:** Michael Shadle

**Review Date:** February 28, 2025

**Laboratory:** Pace Analytical LLC

**Lab SDG #:** L2510601

**Matrix:**  Aqueous     Soil     Sediment     Waste     Air     Other:

**Analytical Methods:** See Table B-1

**Sample Information:** See Table B-1

**Work Plan or QAPP:** SPS Technologies Abington PA Surface Water and Outfall Sampling Plan (WSP, 2025)

**Data Validation Guidance:**

USEPA National Functional Guidelines (NFG) for Organic Superfund Methods Data Review (Nov. 2020)

USEPA NFG for Inorganic Superfund Methods Data Review (Nov. 2020)

**COC and Sample Receipt**

**YES NO NA**

**COMMENT**

- |   |                                     |                          |                          |
|---|-------------------------------------|--------------------------|--------------------------|
| a) COC complete and correct?                            | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                          |
| b) COC documents release of custody (signed and dated)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                          |
| c) Field QC types provided (note types)?                | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| d) Did the cooler contents match the COC?               | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                          |
| e) Were samples received in good condition?             | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                          |
| f) Were cooler temperatures within control limits?      | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                          |
- TB, MS/MSD, FD, See Table B-1

**Data Package Information**

**YES NO NA**

**COMMENT**

- |   |                                     |                          |                          |
|---|-------------------------------------|--------------------------|--------------------------|
| a) Laboratory name and location documented?   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                          |
| b) All samples on COC reported in data package?   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                          |
| c) Requested analytical methods used?   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                          |
| d) Requested sample preparation methods used?   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| e) Requested analyte list reported?   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                          |
| f) Requested units reported?  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| g) Did the laboratory define the qualifiers used?                                       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                          |
| h) Data package contains all information necessary to complete the data quality review? | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                          |

**Analytical Assessment**

**YES NO NA**

**COMMENT**

- |   |                                     |                          |                                     |
|---|-------------------------------------|--------------------------|-------------------------------------|
| a) Solid samples reported on a dry-weight basis?            | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) Were solid samples percent moisture criteria acceptable? | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) Were sample dilutions noted?                             | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |



<b>Analytical Assessment</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>COMMENT</b>
d) Were detected concentrations less than the QL qualified by the laboratory?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
e) Were detected concentrations above the calibration range reported by the laboratory?	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
f) Did the laboratory satisfy the requested sensitivity requirements?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

<b>Laboratory Case Narrative</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>COMMENT</b>
a) Do the laboratory narrative or laboratory qualifiers indicate deficiencies?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	See Notes below
b) Were all deficiencies noted in the laboratory qualifiers or narrative?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

<b>Sample Preservation and Holding Time</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>COMMENT</b>
a) Were samples properly preserved?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
b) Were holding times met for sample preparation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Were holding times met for sample analysis?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

<b>Blanks</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>COMMENTS</b>
a) Were blanks analyzed at the appropriate frequency?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
b) Were any analytes detected in the associated preparation/method blank?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		See Note 1
c) Were any analytes detected in the associated trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
d) Were any analytes detected in the associated field or equipment/rinsate blanks?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
e) Were any analytes detected in the associated storage blanks?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

<b>Surrogates or Deuterated Monitoring Compounds</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>COMMENTS</b>
a) Were the correct surrogate compounds added to each sample?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b) Were surrogate recoveries within control limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) If not, were samples analyzed at dilution factors of 20x or greater?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

<b>LCS/LCSD</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>COMMENTS</b>
a) Were LCS/LCSD reported at the appropriate frequency?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
b) Were proper analytes included in the LCS/LCSD?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
c) Were LCS/LCSD recoveries within control limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
d) Were RPD values within control limits (if LCSD was analyzed)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

<b>MS/MSDs</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>COMMENTS</b>
a) Were project-specific MS (and MSD) reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		SW5_022625
b) Were proper analytes reported in the MS/MSD?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

MS/MSDs	YES	NO	NA	COMMENTS
c) Were project-specific MS/MSD recoveries within control limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If not, were sample concentrations greater than 4x the spiking concentration?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
e) Was the RPD or absolute difference within control limits (if project-specific MSD analyzed)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f) Were project-specific post-digestion spikes analyzed?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
g) Were project-specific post-digestion spike recoveries within control limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Duplicates	YES	NO	NA	COMMENTS
a) Were project-specific laboratory duplicates reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SW5_022625
b) Was laboratory duplicate RPD or absolute difference criteria acceptable?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Were field duplicates reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SW4_022625/FDSW_022625
d) Was field duplicate RPD or absolute difference criteria acceptable?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ICP Serial Dilution (SD)	YES	NO	NA	COMMENTS
a) Was project-specific ICP SD data provided?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b) Were project-specific ICP SD within acceptable criteria?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Overall Evaluation	YES	NO	NA	COMMENTS
a) Were there any other technical problems not previously addressed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b) Were data acceptable and usable, except where noted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

**Comments/Notes:**

The reliability of the analytical data was evaluated to assess its suitability for use. In particular, a Stage 2A data validation was performed, which evaluates the data's precision, accuracy, and sensitivity based on adherence to sample holding times and analysis of the QC samples (duplicates, spikes, and blanks). Where appropriate, data qualifiers were applied following USEPA National Functional Guidelines (NFG) for Organic Superfund Methods Data Review (Nov. 2020) and USEPA NFG for Inorganic Superfund Methods Data Review (Nov. 2020), as applicable to the analytical methods used by the laboratory. Based on the data review, while estimated qualifiers were applied to certain data as detailed in Table B-2, all data was deemed suitable for project decision making. Further detail can be found in the comments below and in Table B-2.

1. Target analytes were detected in the method blank, as noted in the table below. Following the NFG and using professional judgement, when the blank concentration was between the MDL and RL, associated sample results detected between the MDL and RL were qualified as non-detect (U) at the RL and the MDL was raised to the sample result. If a sample had a non-detect result, no qualification was required.



Sample ID	Method	Type	Analyte	Blank Result	Reporting Limit	Units
Method Blank	200.8	Method	Chromium, Total	0.2582 J	1.0	ug/L
Method Blank	200.8	Method	Chromium, Dissolved	0.7418 J	1.0	ug/L

Data Qualification: See Table B-2

**Table B-1**  
**Sample Collection and Analysis Summary**  
**SPS Technologies**  
**Jenkintown, PA**

Laboratory Job	Field Identification	Matrix	Lab Identification	QC Samples	Collection Date	Analyses/Parameters								
						MEK and Toluene	Oil and Grease	Total Metals	Dissolved Metals	Total Hardness	Free Cyanide	Total Cyanide	Trivalent Chromium	Hexavalent Chromium
						E624.1	E1664 B	200.8	200.8	200.8	SM 4500C	SM 4500C	SM 3500	SM 3500C
L2510601	SW5_022625	WS	L2510601-01	MS/MSD	2/26/2025	X	X	X	X	X	X	X	X	X
L2510601	SW4_022625	WS	L2510601-02	--	2/26/2025	X	X	X	X	X	X	X	X	X
L2510601	SW3_022625	WS	L2510601-03	--	2/26/2025	X	X	X	X	X	X	X	X	X
L2510601	SW2_022625	WS	L2510601-04	--	2/26/2025	X	X	X	X	X	X	X	X	X
L2510601	SW1_022625	WS	L2510601-05	--	2/26/2025	X	X	X	X	X	X	X	X	X
L2510601	FDSW_022625	WS	L2510601-06	FD (SW4_022625)	2/26/2025	X	X	X	X	X	X	X	X	X
L2510601	TBSW_022625	WQ	L2510601-07	TB	2/26/2025	X	--	--	--	--	--	--	--	--

**Notes:**

- 1) Metal analyses were performed by Pace Analytical Mansfield Lab, all other parameters were performed at Pace Analytical Westborough Lab.
- 2) Total Metals include: aluminum, copper, iron, and lead

**Abbreviations:**

- MEK: methyl ethyl ketone (2-butanone)
- MS/MSD: Matrix Spike/Matrix Spike Duplicate
- QC: Quality Control
- SM: Standard Methods
- TB: Trip Blank
- WS: Surface Water
- WQ: Quality Control Water



**Table B-2  
Qualifier Summary Table  
SPS Technologies  
Jenkintown, PA**

<b>Laboratory Job</b>	<b>Sample Name</b>	<b>Analyte</b>	<b>New Result</b>	<b>New MDL</b>	<b>New RL</b>	<b>Qualifier</b>	<b>Reason</b>
L2510601	SW5_022625	Chromium, Total	1	0.3906	--	U	Method Blank Contamination, sample result <RL
L2510601	SW4_022625	Chromium, Total	1	0.2154	--	U	Method Blank Contamination, sample result <RL
L2510601	SW3_022625	Chromium, Total	1	0.5436	--	U	Method Blank Contamination, sample result <RL
L2510601	SW2_022625	Chromium, Total	1	0.2638	--	U	Method Blank Contamination, sample result <RL
L2510601	SW1_022625	Chromium, Total	1	0.1832	--	U	Method Blank Contamination, sample result <RL
L2510601	FDSW_022625	Chromium, Total	1	0.1934	--	U	Method Blank Contamination, sample result <RL
L2510601	SW5_022625	Chromium, Dissolved	1	0.1919	--	U	Method Blank Contamination, sample result <RL
L2510601	SW4_022625	Chromium, Dissolved	1	0.2122	--	U	Method Blank Contamination, sample result <RL
L2510601	SW2_022625	Chromium, Dissolved	1	0.2756	--	U	Method Blank Contamination, sample result <RL
L2510601	SW1_022625	Chromium, Dissolved	1	0.4636	--	U	Method Blank Contamination, sample result <RL
L2510601	All samples	--	--		--	--	Laboratory applied U-qualifiers indicating non-detect results and J-qualifiers indicating results below the reporting limit are retained unless other qualifications are indicated in this table. All other laboratory qualifiers are removed.

**Abbreviations:**

MDL: Method Detection Limit  
 RL: Reporting Limit  
 SDG: Sample Delivery Group

**Qualifiers:**

U: Non-detect result

**QA LEVEL 2A - DATA VERIFICATION/DATA VALIDATION CHECKLIST**

---

**Project Name:** SPS Technologies

**Project Number/Phase/Task:** US0043268.2150-US-SPS Client Support. Task 01

**Reviewing Company:** WSP USA

**Project Manager:** Tovah Karl

**Data Evaluator:** Julia Campbell

**Data Evaluation Date:** February 27, 2025

**Checked by:** Michael Shadle

**Review Date:** February 28, 2025

**Laboratory:** Pace Analytical LLC

**Lab SDG #:** L2510603

**Matrix:**  Aqueous    Soil    Sediment    Waste    Air    Other:

**Analytical Methods:** See Table B-1

**Sample Information:** See Table B-1

**Work Plan or QAPP:** SPS Technologies Abington PA Surface Water and Outfall Sampling Plan (WSP, 2025)

**Data Validation Guidance:**

USEPA National Functional Guidelines (NFG) for Organic Superfund Methods Data Review (Nov. 2020)

USEPA NFG for Inorganic Superfund Methods Data Review (Nov. 2020)

<b>COC and Sample Receipt</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>COMMENT</b>
a) COC complete and correct?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
b) COC documents release of custody (signed and dated)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
c) Field QC types provided (note types)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No QC samples in this data package
d) Did the cooler contents match the COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
e) Were samples received in good condition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
f) Were cooler temperatures within control limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

<b>Data Package Information</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>COMMENT</b>
a) Laboratory name and location documented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
b) All samples on COC reported in data package?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
c) Requested analytical methods used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
d) Requested sample preparation methods used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e) Requested analyte list reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
f) Requested units reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
g) Did the laboratory define the qualifiers used?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
h) Data package contains all information necessary to complete the data quality review?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

<b>Analytical Assessment</b>	<b>YES</b>	<b>NO</b>	<b>NA</b>	<b>COMMENT</b>
a) Solid samples reported on a dry-weight basis?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b) Were solid samples percent moisture criteria acceptable?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c) Were sample dilutions noted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		



Analytical Assessment	YES	NO	NA	COMMENT
d) Were detected concentrations less than the QL qualified by the laboratory?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
e) Were detected concentrations above the calibration range reported by the laboratory?	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
f) Did the laboratory satisfy the requested sensitivity requirements?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

Laboratory Case Narrative	YES	NO	NA	COMMENT
a) Do the laboratory narrative or laboratory qualifiers indicate deficiencies?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	See Notes below
b) Were all deficiencies noted in the laboratory qualifiers or narrative?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Sample Preservation and Holding Time	YES	NO	NA	COMMENT
a) Were samples properly preserved?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
b) Were holding times met for sample preparation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Were holding times met for sample analysis?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

Blanks	YES	NO	NA	COMMENTS
a) Were blanks analyzed at the appropriate frequency?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
b) Were any analytes detected in the associated preparation/method blank?	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
c) Were any analytes detected in the associated trip blanks?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
d) Were any analytes detected in the associated field or equipment/rinsate blanks?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
e) Were any analytes detected in the associated storage blanks?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Surrogates or Deuterated Monitoring Compounds	YES	NO	NA	COMMENTS
a) Were the correct surrogate compounds added to each sample?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b) Were surrogate recoveries within control limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c) If not, were samples analyzed at dilution factors of 20x or greater?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

LCS/LCSD	YES	NO	NA	COMMENTS
a) Were LCS/LCSD reported at the appropriate frequency?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
b) Were proper analytes included in the LCS/LCSD?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
c) Were LCS/LCSD recoveries within control limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
d) Were RPD values within control limits (if LCSD was analyzed)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

MS/MSDs	YES	NO	NA	COMMENTS
a) Were project-specific MS (and MSD) reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>		OF004_022625
b) Were proper analytes reported in the MS/MSD?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

MS/MSDs	YES	NO	NA	COMMENTS
c) Were project-specific MS/MSD recoveries within control limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d) If not, were sample concentrations greater than 4x the spiking concentration?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
e) Was the RPD or absolute difference within control limits (if project-specific MSD analyzed)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
f) Were project-specific post-digestion spikes analyzed?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
g) Were project-specific post-digestion spike recoveries within control limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Duplicates	YES	NO	NA	COMMENTS
a) Were project-specific laboratory duplicates reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	OF004_022625 (nitrate-nitrite, COD, & TSS only)
b) Was laboratory duplicate RPD or absolute difference criteria acceptable?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c) Were field duplicates reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	OF004_022625/FDOF_022625
d) Was field duplicate RPD or absolute difference criteria acceptable?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	See Note 1
ICP Serial Dilution (SD)	YES	NO	NA	COMMENTS
a) Was project-specific ICP SD data provided?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b) Were project-specific ICP SD within acceptable criteria?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Overall Evaluation	YES	NO	NA	COMMENTS
a) Were there any other technical problems not previously addressed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b) Were data acceptable and usable, except where noted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

**Comments/Notes:**

The reliability of the analytical data was evaluated to assess its suitability for use. In particular, a Stage 2A data validation was performed, which evaluates the data's precision, accuracy, and sensitivity based on adherence to sample holding times and analysis of the QC samples (duplicates, spikes, and blanks). Where appropriate, data qualifiers were applied following USEPA National Functional Guidelines (NFG) for Organic Superfund Methods Data Review (Nov. 2020) and USEPA NFG for Inorganic Superfund Methods Data Review (Nov. 2020), as applicable to the analytical methods used by the laboratory. Based on the data review, while estimated qualifiers were applied to certain data as detailed in Table B-2, all data was deemed suitable for project decision making. Further detail can be found in the comments below and in Table B-2.

1. Field duplicate relative percent differences (RPD) were above the QC criteria of 30%, as shown in the table below. RPDs were calculated for non-detect results using reporting limits. When the RPD was exceeded, the associated results were qualified as estimated (J).



Sample Names	Method	Analyte	Primary/Duplicate Results	RL	Criteria / Value	QC Criteria	Units
OF004_022625/FDOF_022625	200.8	Aluminum, Total	44.25 / 20.79	10	RPD / <b>72.1</b>	30	%
OF004_022625/FDOF_022625	200.8	Iron, Total	103.1 / 61.21	50	RPD / <b>51</b>	30	%
OF004_022625/FDOF_022625	200.8	Lead, Total	2.453 / 1.07	1	RPD / <b>78.5</b>	30	%

Data Qualification: See Table B-2

**Table B-1  
Sample Collection and Analysis Summary  
SPS Technologies  
Jenkintown, PA**

Laboratory Job	Field Identification	Matrix	Lab Identification	QC Samples	Collection Date	Analyses/Parameters			
						Total Suspended Solids	COD	Nitrate-Nitrite as N	Total Metals
						SM 2540D	410.4	353.2	200.8
L2510603	OF004_022625	WS	L2510603-01	MS/MSD	2/26/2025	X	X	X	X
L2510603	FDOF_022625	WS	L2510603-02	FD (OF004_022625)	2/26/2025	X	X	X	X
L2510603	OF006_022625	WS	L2510603-03	--	2/26/2025	X	X	X	X

**Notes:**

- 1) Metal analyses were performed by Pace Analytical Mansfield Lab, all other parameters were performed at Pace Analytical Westborough Lab.
- 2) Total Metals include: aluminum, copper, iron, and lead

**Abbreviations:**

- COD: Chemical Oxygen Demand
- FD: Field Duplicate
- MS/MSD: Matrix Spike/Matrix Spike Duplicate
- QC: Quality Control
- SM: Standard Methods
- WS: Surface Water
- WQ: Quality Control Water



**Table B-2  
Qualifier Summary Table  
SPS Technologies  
Jenkintown, PA**

<b>Laboratory Job</b>	<b>Sample Name</b>	<b>Analyte</b>	<b>New Result</b>	<b>New MDL</b>	<b>New RL</b>	<b>Qualifier</b>	<b>Reason</b>
L2510603	OF004_022625	Aluminum, Total	--	--	--	J	Field duplicate RPD exceeds QC criteria
L2510603	FDOF_022625	Aluminum, Total	--	--	--	J	Field duplicate RPD exceeds QC criteria
L2510603	OF004_022625	Iron, Total	--	--	--	J	Field duplicate RPD exceeds QC criteria
L2510603	FDOF_022625	Iron, Total	--	--	--	J	Field duplicate RPD exceeds QC criteria
L2510603	OF004_022625	Lead, Total	--	--	--	J	Field duplicate RPD exceeds QC criteria
L2510603	FDOF_022625	Lead, Total	--	--	--	J	Field duplicate RPD exceeds QC criteria
L2510603	All samples	--	--	--	--	--	Laboratory applied U-qualifiers indicating non-detect results and J-qualifiers indicating results below the reporting limit are retained unless other qualifications are indicated in this table. All other laboratory qualifiers are removed.

**Abbreviations:**

MDL: Method Detection Limit  
 RL: Reporting Limit  
 RPD: Relative Percent Difference  
 SDG: Sample Delivery Group

**Qualifiers:**

J: Estimated Result

**APPENDIX C – LABORATORY ANALYTICAL REPORTS**



## ANALYTICAL REPORT

Lab Number:	L2510601
Client:	WSP USA Inc. 10 Lake Center Drive Suite 205 Marlton, NJ 08053
ATTN:	Julie Lehrman
Phone:	(856) 793-2005
Project Name:	SPS TECHNOLOGIES
Project Number:	US0043268.2150
Report Date:	02/28/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)





**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

<b>Lab Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L2510601-01	SW5_022625	WATER	JENKINTOWN, PA	02/26/25 09:45	02/26/25
L2510601-02	SW4_022625	WATER	JENKINTOWN, PA	02/26/25 10:40	02/26/25
L2510601-03	SW3_022625	WATER	JENKINTOWN, PA	02/26/25 11:35	02/26/25
L2510601-04	SW2_022625	WATER	JENKINTOWN, PA	02/26/25 13:10	02/26/25
L2510601-05	SW1_022625	WATER	JENKINTOWN, PA	02/26/25 13:40	02/26/25
L2510601-06	FDSW_022625	WATER	JENKINTOWN, PA	02/26/25 00:00	02/26/25
L2510601-07	TBSW_022625	WATER	JENKINTOWN, PA	02/26/25 00:00	02/26/25

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

**HOLD POLICY** - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

---

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

### Case Narrative (continued)

#### Report Submission


February 28, 2025: This final report includes the results of all requested analyses.

February 27, 2025: This is a preliminary report.

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Kelly Stenstrom

Title: Technical Director/Representative

Date: 02/28/25



# ORGANICS

# VOLATILES

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

Lab ID: L2510601-01  
 Client ID: SW5\_022625  
 Sample Location: JENKINTOWN, PA

Date Collected: 02/26/25 09:45  
 Date Received: 02/26/25  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 128,624.1  
 Analytical Date: 02/27/25 12:20  
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
--	--	--	--	--	--	--

Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	100		60-140
Fluorobenzene	108		60-140
4-Bromofluorobenzene	109		60-140



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

Lab ID: L2510601-02  
 Client ID: SW4\_022625  
 Sample Location: JENKINTOWN, PA

Date Collected: 02/26/25 10:40  
 Date Received: 02/26/25  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 128,624.1  
 Analytical Date: 02/27/25 11:45  
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

Pentafluorobenzene	99		60-140
--------------------	----	--	--------

Fluorobenzene	106		60-140
---------------	-----	--	--------

4-Bromofluorobenzene	109		60-140
----------------------	-----	--	--------

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

Lab ID: L2510601-03  
 Client ID: SW3\_022625  
 Sample Location: JENKINTOWN, PA

Date Collected: 02/26/25 11:35  
 Date Received: 02/26/25  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 128,624.1  
 Analytical Date: 02/27/25 11:10  
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

Pentafluorobenzene	99		60-140
--------------------	----	--	--------

Fluorobenzene	106		60-140
---------------	-----	--	--------

4-Bromofluorobenzene	108		60-140
----------------------	-----	--	--------

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

Lab ID: L2510601-04  
 Client ID: SW2\_022625  
 Sample Location: JENKINTOWN, PA

Date Collected: 02/26/25 13:10  
 Date Received: 02/26/25  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 128,624.1  
 Analytical Date: 02/27/25 10:36  
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

Pentafluorobenzene	100		60-140
--------------------	-----	--	--------

Fluorobenzene	107		60-140
---------------	-----	--	--------

4-Bromofluorobenzene	108		60-140
----------------------	-----	--	--------



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

Lab ID: L2510601-05  
 Client ID: SW1\_022625  
 Sample Location: JENKINTOWN, PA

Date Collected: 02/26/25 13:40  
 Date Received: 02/26/25  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 128,624.1  
 Analytical Date: 02/27/25 10:01  
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
--	--	--	--	--	--	--

Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	98		60-140
Fluorobenzene	106		60-140
4-Bromofluorobenzene	108		60-140

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

Lab ID: L2510601-06  
 Client ID: FDSW\_022625  
 Sample Location: JENKINTOWN, PA

Date Collected: 02/26/25 00:00  
 Date Received: 02/26/25  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 128,624.1  
 Analytical Date: 02/27/25 09:26  
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

Pentafluorobenzene	99		60-140
--------------------	----	--	--------

Fluorobenzene	108		60-140
---------------	-----	--	--------

4-Bromofluorobenzene	106		60-140
----------------------	-----	--	--------

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

Lab ID: L2510601-07  
 Client ID: TBSW\_022625  
 Sample Location: JENKINTOWN, PA

Date Collected: 02/26/25 00:00  
 Date Received: 02/26/25  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 128,624.1  
 Analytical Date: 02/27/25 08:51  
 Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		ug/l	1.0	0.31	1
2-Butanone	ND		ug/l	10	1.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
-----------	------------	-----------	---------------------

Pentafluorobenzene	100		60-140
--------------------	-----	--	--------

Fluorobenzene	107		60-140
---------------	-----	--	--------

4-Bromofluorobenzene	108		60-140
----------------------	-----	--	--------

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**Method Blank Analysis  
Batch Quality Control**

Analytical Method: 128,624.1  
Analytical Date: 02/27/25 08:17  
Analyst: JKH

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-07 Batch: WG2034884-4					
Toluene	ND		ug/l	1.0	0.31
2-Butanone	ND		ug/l	10	1.0

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	100		60-140
Fluorobenzene	105		60-140
4-Bromofluorobenzene	105		60-140



**Lab Control Sample Analysis**  
Batch Quality Control

Project Name: SPS TECHNOLOGIES

Lab Number: L2510601

Project Number: US0043268.2150

Report Date: 02/28/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-07 Batch: WG2034884-3								
Toluene	120		-		70-130	-		41
2-Butanone	92		-		60-140	-		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Pentafluorobenzene	102				60-140
Fluorobenzene	114				60-140
4-Bromofluorobenzene	109				60-140

**Matrix Spike Analysis**  
**Batch Quality Control**

**Project Name:** SPS TECHNOLOGIES

**Lab Number:** L2510601

**Project Number:** US0043268.2150

**Report Date:** 02/28/25

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-07 QC Batch ID: WG2034884-5 WG2034884-6 QC Sample: L2510601-01 Client ID: SW5_022625												
Toluene	ND	20	27	135		27	135		47-150	0		41
2-Butanone	ND	50	40	80		44	88		60-140	10		30

<b>Surrogate</b>	<b>MS</b>		<b>MSD</b>		<b>Acceptance</b>
	<b>% Recovery</b>	<b>Qualifier</b>	<b>% Recovery</b>	<b>Qualifier</b>	<b>Criteria</b>
4-Bromofluorobenzene	112		109		60-140
Fluorobenzene	111		109		60-140
Pentafluorobenzene	101		99		60-140

# METALS



**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510601**Project Number:** US0043268.2150**Report Date:** 02/28/25**SAMPLE RESULTS**

Lab ID: L2510601-01

Date Collected: 02/26/25 09:45

Client ID: SW5\_022625

Date Received: 02/26/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Chromium, Total	0.3906	J	ug/l	1.000	0.1780	1	02/27/25 07:30	02/27/25 11:03	EPA 3005A	3,200.8	NTB
Nickel, Total	4.158		ug/l	2.000	0.5560	1	02/27/25 07:30	02/27/25 11:03	EPA 3005A	3,200.8	NTB
<b>Total Hardness (by calculation) - Mansfield Lab</b>											
Hardness	202300		ug/l	540.0	NA	1	02/27/25 07:30	02/27/25 11:03	EPA 3005A	3,200.8	NTB
<b>General Chemistry - Mansfield Lab</b>											
Chromium, Trivalent	ND		ug/l	10.0	3.00	1		02/27/25 11:03	NA	107,-	
<b>Dissolved Metals - Mansfield Lab</b>											
Chromium, Dissolved	0.1919	J	ug/l	1.000	0.1780	1	02/28/25 08:40	02/28/25 12:27	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	4.061		ug/l	2.000	0.5560	1	02/28/25 08:40	02/28/25 12:27	EPA 3005A	3,200.8	NTB





**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510601**Project Number:** US0043268.2150**Report Date:** 02/28/25**SAMPLE RESULTS**

Lab ID: L2510601-02

Date Collected: 02/26/25 10:40

Client ID: SW4\_022625

Date Received: 02/26/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Chromium, Total	0.2154	J	ug/l	1.000	0.1780	1	02/27/25 07:30	02/27/25 11:31	EPA 3005A	3,200.8	NTB
Nickel, Total	6.506		ug/l	2.000	0.5560	1	02/27/25 07:30	02/27/25 11:31	EPA 3005A	3,200.8	NTB
<b>Total Hardness (by calculation) - Mansfield Lab</b>											
Hardness	241400		ug/l	540.0	NA	1	02/27/25 07:30	02/27/25 11:31	EPA 3005A	3,200.8	NTB
<b>General Chemistry - Mansfield Lab</b>											
Chromium, Trivalent	ND		ug/l	10.0	3.00	1		02/27/25 11:31	NA	107,-	
<b>Dissolved Metals - Mansfield Lab</b>											
Chromium, Dissolved	0.2122	J	ug/l	1.000	0.1780	1	02/28/25 08:40	02/28/25 12:41	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	6.193		ug/l	2.000	0.5560	1	02/28/25 08:40	02/28/25 12:41	EPA 3005A	3,200.8	NTB



**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510601**Project Number:** US0043268.2150**Report Date:** 02/28/25**SAMPLE RESULTS**

Lab ID: L2510601-03

Date Collected: 02/26/25 11:35

Client ID: SW3\_022625

Date Received: 02/26/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Chromium, Total	0.5436	J	ug/l	1.000	0.1780	1	02/27/25 07:30	02/27/25 11:35	EPA 3005A	3,200.8	NTB
Nickel, Total	9.708		ug/l	2.000	0.5560	1	02/27/25 07:30	02/27/25 11:35	EPA 3005A	3,200.8	NTB
<b>Total Hardness (by calculation) - Mansfield Lab</b>											
Hardness	245400		ug/l	540.0	NA	1	02/27/25 07:30	02/27/25 11:35	EPA 3005A	3,200.8	NTB
<b>General Chemistry - Mansfield Lab</b>											
Chromium, Trivalent	ND		ug/l	10.0	3.00	1		02/27/25 11:35	NA	107,-	
<b>Dissolved Metals - Mansfield Lab</b>											
Chromium, Dissolved	ND		ug/l	1.000	0.1780	1	02/28/25 08:40	02/28/25 12:46	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	10.10		ug/l	2.000	0.5560	1	02/28/25 08:40	02/28/25 12:46	EPA 3005A	3,200.8	NTB



**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510601**Project Number:** US0043268.2150**Report Date:** 02/28/25**SAMPLE RESULTS**

Lab ID: L2510601-04

Date Collected: 02/26/25 13:10

Client ID: SW2\_022625

Date Received: 02/26/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Chromium, Total	0.2638	J	ug/l	1.000	0.1780	1	02/27/25 07:30	02/27/25 11:54	EPA 3005A	3,200.8	NTB
Nickel, Total	0.7536	J	ug/l	2.000	0.5560	1	02/27/25 07:30	02/27/25 11:54	EPA 3005A	3,200.8	NTB
<b>Total Hardness (by calculation) - Mansfield Lab</b>											
Hardness	230900		ug/l	540.0	NA	1	02/27/25 07:30	02/27/25 11:54	EPA 3005A	3,200.8	NTB
<b>General Chemistry - Mansfield Lab</b>											
Chromium, Trivalent	ND		ug/l	10.0	3.00	1		02/27/25 11:54	NA	107,-	
<b>Dissolved Metals - Mansfield Lab</b>											
Chromium, Dissolved	0.2756	J	ug/l	1.000	0.1780	1	02/28/25 08:40	02/28/25 12:51	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.7640	J	ug/l	2.000	0.5560	1	02/28/25 08:40	02/28/25 12:51	EPA 3005A	3,200.8	NTB



**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510601**Project Number:** US0043268.2150**Report Date:** 02/28/25**SAMPLE RESULTS**

Lab ID: L2510601-05

Date Collected: 02/26/25 13:40

Client ID: SW1\_022625

Date Received: 02/26/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Chromium, Total	0.1832	J	ug/l	1.000	0.1780	1	02/27/25 07:30	02/27/25 11:59	EPA 3005A	3,200.8	NTB
Nickel, Total	1.594	J	ug/l	2.000	0.5560	1	02/27/25 07:30	02/27/25 11:59	EPA 3005A	3,200.8	NTB
<b>Total Hardness (by calculation) - Mansfield Lab</b>											
Hardness	284000		ug/l	540.0	NA	1	02/27/25 07:30	02/27/25 11:59	EPA 3005A	3,200.8	NTB
<b>General Chemistry - Mansfield Lab</b>											
Chromium, Trivalent	ND		ug/l	10.0	3.00	1		02/27/25 11:59	NA	107,-	
<b>Dissolved Metals - Mansfield Lab</b>											
Chromium, Dissolved	0.4636	J	ug/l	1.000	0.1780	1	02/28/25 08:40	02/28/25 12:55	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	1.859	J	ug/l	2.000	0.5560	1	02/28/25 08:40	02/28/25 12:55	EPA 3005A	3,200.8	NTB





**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510601**Project Number:** US0043268.2150**Report Date:** 02/28/25**SAMPLE RESULTS**

Lab ID: L2510601-06

Date Collected: 02/26/25 00:00

Client ID: FDSW\_022625

Date Received: 02/26/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Chromium, Total	0.1934	J	ug/l	1.000	0.1780	1	02/27/25 07:30	02/27/25 12:04	EPA 3005A	3,200.8	NTB
Nickel, Total	6.326		ug/l	2.000	0.5560	1	02/27/25 07:30	02/27/25 12:04	EPA 3005A	3,200.8	NTB
<b>Total Hardness (by calculation) - Mansfield Lab</b>											
Hardness	236100		ug/l	540.0	NA	1	02/27/25 07:30	02/27/25 12:04	EPA 3005A	3,200.8	NTB
<b>General Chemistry - Mansfield Lab</b>											
Chromium, Trivalent	ND		ug/l	10.0	3.00	1		02/27/25 12:04	NA	107,-	
<b>Dissolved Metals - Mansfield Lab</b>											
Chromium, Dissolved	ND		ug/l	1.000	0.1780	1	02/28/25 08:40	02/28/25 13:00	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	6.389		ug/l	2.000	0.5560	1	02/28/25 08:40	02/28/25 13:00	EPA 3005A	3,200.8	NTB



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

## Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-06 Batch: WG2034610-1										
Chromium, Total	0.2582	J	ug/l	1.000	0.1780	1	02/27/25 07:30	02/27/25 10:53	3,200.8	NTB
Nickel, Total	ND		ug/l	2.000	0.5560	1	02/27/25 07:30	02/27/25 10:53	3,200.8	NTB

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness (by calculation) - Mansfield Lab for sample(s): 01-06 Batch: WG2034610-1										
Hardness	ND		ug/l	540.0	NA	1	02/27/25 07:30	02/27/25 10:53	3,200.8	NTB

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab for sample(s): 01-06 Batch: WG2035073-1										
Chromium, Dissolved	0.7418	J	ug/l	1.000	0.1780	1	02/28/25 08:40	02/28/25 12:18	3,200.8	NTB
Nickel, Dissolved	ND		ug/l	2.000	0.5560	1	02/28/25 08:40	02/28/25 12:18	3,200.8	NTB

### Prep Information

Digestion Method: EPA 3005A



**Lab Control Sample Analysis**  
Batch Quality Control

Project Name: SPS TECHNOLOGIES

Lab Number: L2510601

Project Number: US0043268.2150

Report Date: 02/28/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-06 Batch: WG2034610-2								
Chromium, Total	98		-		85-115	-		
Nickel, Total	104		-		85-115	-		
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-06 Batch: WG2034610-2								
Hardness	104		-		85-115	-		
Dissolved Metals - Mansfield Lab Associated sample(s): 01-06 Batch: WG2035073-2								
Chromium, Dissolved	97		-		85-115	-		
Nickel, Dissolved	108		-		85-115	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG2034610-3 WG2034610-4 QC Sample: L2510601-01 Client ID: SW5_022625												
Chromium, Total	0.3906J	200	186.6	93		195.2	98		70-130	5		20
Nickel, Total	4.158	500	513.5	102		522.7	104		70-130	2		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG2034610-3 WG2034610-4 QC Sample: L2510601-01 Client ID: SW5_022625												
Hardness	202300	66200	264100	93		274100	108		70-130	4		20
Total Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG2034610-5 WG2034610-6 QC Sample: L2510603-01 Client ID: MS Sample												
Chromium, Total	1.051	200	188.5	94		192.0	95		70-130	2		20
Nickel, Total	249.0	500	751.7	100		764.2	103		70-130	2		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG2034610-5 WG2034610-6 QC Sample: L2510603-01 Client ID: MS Sample												
Hardness	525400	66200	607500	124		621000	144	Q	70-130	2		20
Dissolved Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG2035073-3 WG2035073-4 QC Sample: L2510601-01 Client ID: SW5_022625												
Chromium, Dissolved	0.1919J	200	190.1	95		207.6	104		70-130	9		20
Nickel, Dissolved	4.061	500	542.9	108		583.8	116		70-130	7		20





# **INORGANICS & MISCELLANEOUS**

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

**Lab ID:** L2510601-01  
**Client ID:** SW5\_022625  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 02/26/25 09:45  
**Date Received:** 02/26/25  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Cyanide, Total	2.71	J	ug/l	5.00	1.80	1	02/27/25 07:40	02/27/25 10:45	121,4500CN-CE	JER
Cyanide, Free	4.00	J	ug/l	10.0	3.50	1	-	02/27/25 08:20	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		ug/l	4000	4000	1	02/27/25 07:41	02/27/25 09:20	140,1664B	TPR
Chromium, Hexavalent	ND		ug/l	10.0	3.00	1	02/27/25 07:09	02/27/25 07:33	121,3500CR-B	DMO



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

**Lab ID:** L2510601-02  
**Client ID:** SW4\_022625  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 02/26/25 10:40  
**Date Received:** 02/26/25  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Cyanide, Total	6.84		ug/l	5.00	1.80	1	02/27/25 07:40	02/27/25 10:51	121,4500CN-CE	JER
Cyanide, Free	ND		ug/l	10.0	3.50	1	-	02/27/25 08:20	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		ug/l	4400	4400	1.1	02/27/25 07:41	02/27/25 10:19	140,1664B	TPR
Chromium, Hexavalent	ND		ug/l	10.0	3.00	1	02/27/25 07:09	02/27/25 07:37	121,3500CR-B	DMO



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

**Lab ID:** L2510601-03  
**Client ID:** SW3\_022625  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 02/26/25 11:35  
**Date Received:** 02/26/25  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Cyanide, Total	20.6		ug/l	5.00	1.80	1	02/27/25 07:40	02/27/25 10:52	121,4500CN-CE	JER
Cyanide, Free	7.00	J	ug/l	10.0	3.50	1	-	02/27/25 08:20	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	6500		ug/l	4000	4000	1	02/27/25 07:41	02/27/25 10:20	140,1664B	TPR
Chromium, Hexavalent	ND		ug/l	10.0	3.00	1	02/27/25 07:09	02/27/25 07:38	121,3500CR-B	DMO



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

**Lab ID:** L2510601-04  
**Client ID:** SW2\_022625  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 02/26/25 13:10  
**Date Received:** 02/26/25  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Cyanide, Total	ND		ug/l	5.00	1.80	1	02/27/25 07:40	02/27/25 10:53	121,4500CN-CE	JER
Cyanide, Free	ND		ug/l	10.0	3.50	1	-	02/27/25 08:20	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		ug/l	4000	4000	1	02/27/25 07:41	02/27/25 10:22	140,1664B	TPR
Chromium, Hexavalent	ND		ug/l	10.0	3.00	1	02/27/25 07:09	02/27/25 07:39	121,3500CR-B	DMO





**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

**Lab ID:** L2510601-05  
**Client ID:** SW1\_022625  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 02/26/25 13:40  
**Date Received:** 02/26/25  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Cyanide, Total	ND		ug/l	5.00	1.80	1	02/27/25 07:40	02/27/25 10:54	121,4500CN-CE	JER
Cyanide, Free	ND		ug/l	10.0	3.50	1	-	02/27/25 08:20	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		ug/l	4000	4000	1	02/27/25 07:41	02/27/25 10:23	140,1664B	TPR
Chromium, Hexavalent	ND		ug/l	10.0	3.00	1	02/27/25 07:09	02/27/25 07:40	121,3500CR-B	DMO



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

**Lab ID:** L2510601-06  
**Client ID:** FDSW\_022625  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 02/26/25 00:00  
**Date Received:** 02/26/25  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Cyanide, Total	6.43		ug/l	5.00	1.80	1	02/27/25 07:40	02/27/25 10:55	121,4500CN-CE	JER
Cyanide, Free	ND		ug/l	10.0	3.50	1	-	02/27/25 08:20	121,4500CN-E(M)	KAF
Oil & Grease, Hem-Grav	ND		ug/l	4000	4000	1	02/27/25 07:41	02/27/25 10:24	140,1664B	TPR
Chromium, Hexavalent	ND		ug/l	10.0	3.00	1	02/27/25 07:09	02/27/25 07:41	121,3500CR-B	DMO



Project Name: SPS TECHNOLOGIES

Lab Number: L2510601

Project Number: US0043268.2150

Report Date: 02/28/25

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG2034601-1									
Chromium, Hexavalent	ND	ug/l	10.0	3.00	1	02/27/25 07:09	02/27/25 07:31	121,3500CR-B	DMO
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG2034636-1									
Cyanide, Total	ND	ug/l	5.00	1.80	1	02/27/25 07:40	02/27/25 10:42	121,4500CN-CE	JER
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG2034647-1									
Oil & Grease, Hem-Grav	ND	ug/l	4000	4000	1	02/27/25 07:41	02/27/25 09:17	140,1664B	TPR
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG2034648-1									
Cyanide, Free	ND	ug/l	10.0	3.50	1	-	02/27/25 08:20	121,4500CN-E(M)	KAF



### Lab Control Sample Analysis Batch Quality Control

**Project Name:** SPS TECHNOLOGIES

**Project Number:** US0043268.2150

**Lab Number:** L2510601

**Report Date:** 02/28/25

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG2034601-2								
Chromium, Hexavalent	99		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG2034636-2								
Cyanide, Total	101		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG2034647-2								
Oil & Grease, Hem-Grav	95		-		78-114	-		18
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG2034648-2								
Cyanide, Free	100		-		90-110	-		

### Matrix Spike Analysis Batch Quality Control

Project Name: SPS TECHNOLOGIES

Lab Number: L2510601

Project Number: US0043268.2150

Report Date: 02/28/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2034601-4 WG2034601-5 QC Sample: L2510601-01 Client ID: SW5_022625												
Chromium, Hexavalent	ND	100	103	103		103	103		85-115	0		20
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2034636-3 WG2034636-4 QC Sample: L2510601-01 Client ID: SW5_022625												
Cyanide, Total	2.71J	200	197	98		196	98		90-110	1		30
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2034647-4 WG2034647-5 QC Sample: L2510601-01 Client ID: SW5_022625												
Oil & Grease, Hem-Grav	ND	38800	36000	93		38000	98		78-114	5		18
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2034648-4 WG2034648-5 QC Sample: L2510601-01 Client ID: SW5_022625												
Cyanide, Free	4.00J	250	242	97		244	98		80-120	1		20

## Lab Duplicate Analysis

*Batch Quality Control*

Project Name: SPS TECHNOLOGIES

Project Number: US0043268.2150

Lab Number: L2510601

Report Date: 02/28/25

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2034601-3 QC Sample: L2510601-01 Client ID: SW5_022625						
Chromium, Hexavalent	ND	ND	ug/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2034636-5 QC Sample: L2510601-01 Client ID: SW5_022625						
Cyanide, Total	2.71J	4.25J	ug/l	NC		30
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2034647-3 QC Sample: L2510601-01 Client ID: SW5_022625						
Oil & Grease, Hem-Grav	ND	ND	ug/l	NC		18
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2034648-3 QC Sample: L2510601-01 Client ID: SW5_022625						
Cyanide, Free	4.00J	4.00J	ug/l	NC		20



**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510601**Project Number:** US0043268.2150**Report Date:** 02/28/25**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

**Cooler Information**

<b>Cooler</b>	<b>Custody Seal</b>
A	Present/Intact
B	Present/Intact
C	Present/Intact
D	Present/Intact

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2510601-01A	Vial Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-01A1	Vial Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-01A2	Vial Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-01B	Vial Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-01B1	Vial Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-01B2	Vial Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-01C	Vial Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-01C1	Vial Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-01C2	Vial Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-01D	Plastic 250ml unpreserved	D	7	7	2.7	Y	Present/Intact		-
L2510601-01D1	Plastic 250ml unpreserved	D	7	7	2.7	Y	Present/Intact		-
L2510601-01D2	Plastic 250ml unpreserved	D	7	7	2.7	Y	Present/Intact		-
L2510601-01E	Plastic 250ml HNO <sub>3</sub> preserved	D	<2	<2	2.7	Y	Present/Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)
L2510601-01E1	Plastic 250ml HNO <sub>3</sub> preserved	D	<2	<2	2.7	Y	Present/Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)
L2510601-01E2	Plastic 250ml HNO <sub>3</sub> preserved	D	<2	<2	2.7	Y	Present/Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)
L2510601-01F	Plastic 250ml NaOH preserved	D	>12	>12	2.7	Y	Present/Intact		TCN-4500-PPB(14)
L2510601-01F1	Plastic 250ml NaOH preserved	D	>12	>12	2.7	Y	Present/Intact		TCN-4500-PPB(14)
L2510601-01F2	Plastic 250ml NaOH preserved	D	>12	>12	2.7	Y	Present/Intact		TCN-4500-PPB(14)

**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510601**Project Number:** US0043268.2150**Report Date:** 02/28/25**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2510601-01G	Plastic 500ml unpreserved	D	7	7	2.7	Y	Present/Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2510601-01G1	Plastic 500ml unpreserved	D	7	7	2.7	Y	Present/Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2510601-01G2	Plastic 500ml unpreserved	D	7	7	2.7	Y	Present/Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2510601-01H	Amber 1L HCl preserved	D	NA		2.7	Y	Present/Intact		OG-1664-PPB(28)
L2510601-01H1	Amber 1L HCl preserved	D	NA		2.7	Y	Present/Intact		OG-1664-PPB(28)
L2510601-01H2	Amber 1L HCl preserved	D	NA		2.7	Y	Present/Intact		OG-1664-PPB(28)
L2510601-01J	Amber 1L HCl preserved	D	NA		2.7	Y	Present/Intact		OG-1664-PPB(28)
L2510601-01J1	Amber 1L HCl preserved	D	NA		2.7	Y	Present/Intact		OG-1664-PPB(28)
L2510601-01J2	Amber 1L HCl preserved	D	NA		2.7	Y	Present/Intact		OG-1664-PPB(28)
L2510601-01X	Plastic 120ml HNO3 preserved Filtrates	D	NA		2.7	Y	Present/Intact		CR-2008S-PPB(180),NI-2008S-PPB(180)
L2510601-01X1	Plastic 120ml HNO3 preserved Filtrates	D	NA		2.7	Y	Present/Intact		CR-2008S-PPB(180),NI-2008S-PPB(180)
L2510601-01X2	Plastic 120ml HNO3 preserved Filtrates	D	NA		2.7	Y	Present/Intact		CR-2008S-PPB(180),NI-2008S-PPB(180)
L2510601-02A	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-02B	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-02C	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-02D	Plastic 250ml unpreserved	A	7	7	3.8	Y	Present/Intact		-
L2510601-02E	Plastic 250ml HNO3 preserved	A	<2	<2	3.8	Y	Present/Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)
L2510601-02F	Plastic 250ml NaOH preserved	A	>12	>12	3.8	Y	Present/Intact		TCN-4500-PPB(14)
L2510601-02G	Plastic 500ml unpreserved	A	7	7	3.8	Y	Present/Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2510601-02H	Amber 1L HCl preserved	A	NA		3.8	Y	Present/Intact		OG-1664-PPB(28)
L2510601-02J	Amber 1L HCl preserved	A	NA		3.8	Y	Present/Intact		OG-1664-PPB(28)
L2510601-02X	Plastic 120ml HNO3 preserved Filtrates	A	NA		3.8	Y	Present/Intact		CR-2008S-PPB(180),NI-2008S-PPB(180)
L2510601-03A	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-03B	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-03C	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-03D	Plastic 250ml unpreserved	A	7	7	3.8	Y	Present/Intact		-
L2510601-03E	Plastic 250ml HNO3 preserved	A	<2	<2	3.8	Y	Present/Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)

**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510601**Project Number:** US0043268.2150**Report Date:** 02/28/25**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2510601-03F	Plastic 250ml NaOH preserved	A	>12	>12	3.8	Y	Present/Intact		TCN-4500-PPB(14)
L2510601-03G	Plastic 500ml unpreserved	A	7	7	3.8	Y	Present/Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2510601-03H	Amber 1L HCl preserved	A	NA		3.8	Y	Present/Intact		OG-1664-PPB(28)
L2510601-03J	Amber 1L HCl preserved	A	NA		3.8	Y	Present/Intact		OG-1664-PPB(28)
L2510601-03X	Plastic 120ml HNO3 preserved Filtrates	A	NA		3.8	Y	Present/Intact		CR-2008S-PPB(180),NI-2008S-PPB(180)
L2510601-04A	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-04B	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-04C	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-04D	Plastic 250ml unpreserved	C	7	7	2.5	Y	Present/Intact		-
L2510601-04E	Plastic 250ml HNO3 preserved	C	<2	<2	2.5	Y	Present/Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)
L2510601-04F	Plastic 250ml NaOH preserved	C	>12	>12	2.5	Y	Present/Intact		TCN-4500-PPB(14)
L2510601-04G	Plastic 500ml unpreserved	C	7	7	2.5	Y	Present/Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2510601-04H	Amber 1L HCl preserved	C	NA		2.5	Y	Present/Intact		OG-1664-PPB(28)
L2510601-04J	Amber 1L HCl preserved	C	NA		2.5	Y	Present/Intact		OG-1664-PPB(28)
L2510601-04X	Plastic 120ml HNO3 preserved Filtrates	C	NA		2.5	Y	Present/Intact		CR-2008S-PPB(180),NI-2008S-PPB(180)
L2510601-05A	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-05B	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-05C	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-05D	Plastic 250ml unpreserved	C	7	7	2.5	Y	Present/Intact		-
L2510601-05E	Plastic 250ml HNO3 preserved	C	<2	<2	2.5	Y	Present/Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)
L2510601-05F	Plastic 250ml NaOH preserved	C	>12	>12	2.5	Y	Present/Intact		TCN-4500-PPB(14)
L2510601-05G	Plastic 500ml unpreserved	C	7	7	2.5	Y	Present/Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2510601-05H	Amber 1L HCl preserved	C	NA		2.5	Y	Present/Intact		OG-1664-PPB(28)
L2510601-05J	Amber 1L HCl preserved	C	NA		2.5	Y	Present/Intact		OG-1664-PPB(28)
L2510601-05X	Plastic 120ml HNO3 preserved Filtrates	C	NA		2.5	Y	Present/Intact		NI-2008S-PPB(180),CR-2008S-PPB(180)
L2510601-06A	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-06B	Vial Na2S2O3 preserved	D	NA		2.7	Y	Present/Intact		624.1(7)

**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510601**Project Number:** US0043268.2150**Report Date:** 02/28/25**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2510601-06C	Vial Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-06D	Plastic 250ml unpreserved	A	7	7	3.8	Y	Present/Intact		-
L2510601-06E	Plastic 250ml HNO <sub>3</sub> preserved	A	<2	<2	3.8	Y	Present/Intact		HARDT-2008-PPB(180),NI-2008T-PPB(180),CR-2008T-PPB(180)
L2510601-06F	Plastic 250ml NaOH preserved	A	>12	>12	3.8	Y	Present/Intact		TCN-4500-PPB(14)
L2510601-06G	Plastic 500ml unpreserved	A	7	7	3.8	Y	Present/Intact		HEXCR-3500-PPB(1),FCN-PPB(1)
L2510601-06H	Amber 1L HCl preserved	A	NA		3.8	Y	Present/Intact		OG-1664-PPB(28)
L2510601-06J	Amber 1L HCl preserved	A	NA		3.8	Y	Present/Intact		OG-1664-PPB(28)
L2510601-06X	Plastic 120ml HNO <sub>3</sub> preserved Filtrates	A	NA		3.8	Y	Present/Intact		NI-2008S-PPB(180),CR-2008S-PPB(180)
L2510601-07A	Vial Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> preserved	D	NA		2.7	Y	Present/Intact		624.1(7)
L2510601-07B	Vial Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> preserved	D	NA		2.7	Y	Present/Intact		624.1(7)

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

## GLOSSARY

### Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)  Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Chlordane:** The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

**Difference:** With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Gasoline Range Organics (GRO):** Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**PAH Total:** With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

**PFAS Total:** With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers





**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

#### Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510601  
**Report Date:** 02/28/25

## REFERENCES

- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 107 Calculation method.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.
- 128 Method 624.1: Purgeables by GC/MS, EPA 821-R-16-008, December 2016.
- 140 Method 1664, Revision B: N-Hexane Extractable Material (HEM; Oil & Grease) and Silica Gel Treated N-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, EPA-821-R-10-001, February 2010.

## LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at its own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

**EPA 624.1:** m/p-xylene, o-xylene, Naphthalene

**EPA 625.1:** alpha-Terpineol

**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270E:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048**

**SM 2540D:** TSS.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**MADEP-APH.**

**Nonpotable Water:** EPA RSK-175 Dissolved Gases

**Biological Tissue Matrix:** EPA 3050B

**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048**

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Nonpotable Water:** EPA RSK-175 Dissolved Gases

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048**

**Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

**Drinking Water**

**EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

**EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**

**EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.

**Non-Potable Water**

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

**SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.

**EPA 624.1:** Volatile Halocarbons & Aromatics,

**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).

**Microbiology:** SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.

**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048**

**Drinking Water**

**EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.

**EPA 522, EPA 537.1.**

**Non-Potable Water**

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

**EPA 245.1** Hg.

**SM2340B**

**Pace Analytical Services LLC**

ID No.:17873

Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 2 of 2

**Certification IDs:****Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

CT PH-0826, IL 200077, IN C-MA-03, KY JY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048**

CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 3090, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048**

ANAB/DoD L2474, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

---

For a complete listing of analytes and methods, please contact your Project Manager.



# CHAIN OF CUSTODY

PAGE 1 OF 1

WESTBORO, MA  
TEL: 508-898-9220  
FAX: 508-898-9193

MANSFIELD, MA  
TEL: 508-822-9300  
FAX: 508-822-3288

**Client Information**  
 Client: WSP USA Inc  
 Address: 10 Lake Center Drive  
 Suite 205, Marlton, NJ 08053  
 Phone: 856-743-2005  
 Fax: 856-743-2006  
 Email: [Tovah.karl@wsp.com](mailto:Tovah.karl@wsp.com)  
[Stacy.Hanson@wsp.com](mailto:Stacy.Hanson@wsp.com)  
 These samples have been previously analyzed by Alpha

**Project Information**  
 Project Name: SPS Technologies  
 Project Location: Jenkintown, PA  
 Project #: US0043268.2150  
 Project Manager: Tovah Karl  
 ALPHA Quote #:

**Turn-Around Time**  
 Standard  RUSH (only confirmed if pre-approved)  
 Date Due: 1 Day Time:

Date Rec'd in Lab: 2/27/25  
**Report Information - Data Deliverables**  
 FAX  EMAIL  
 ADEX  Add'l Deliverables

L2510601 27FEB25  
 GOLDR - NJ

**Regulatory Requirements/Report Limits**  
 State/Fed Program: PA  
 Criteria:

**Other Project Specific Requirements/Comments/Detection Limits:**  
 \* Attorney - client privileged & confidential \*  
 All VOAs in 1 cooler  
 Dissolved Metals will need to be Lab Filtered

**ANALYSIS**  
 Oil and Grease E1664B  
 Free Cyanide SA 4500-LW  
 Specific Hex. Conc. SA 3500-LR  
 Total Cyanide SA 4500-LW  
 Total Nickel SA 4500-LW  
 Total Chromium E200.8  
 Dissolved Nickel E200.8  
 Dissolved Chromium E200.8  
 MEK E624.1  
 Toluene E624.1  
 Total Hydrocarbons E200.8

**SAMPLE HANDLING**  
 Filtration \_\_\_\_\_  
 Done  
 Not needed  
 Lab to do  
 Preservation  
 Lab to do  
 (Please specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials
		Date	Time		
10601-01	SW5-022625	2/26/25	9:45	SW	JET
02	SW4-022625	2/26/25	10:40	SW	JET
03	SW3-022625	2/26/25	11:35	SW	JET
04	SW2-022625	2/26/25	12:10	SW	JET
05	SW1-022625	2/26/25	13:40	SW	JET
06	FDSW-022625	2/26/25	—	SW	JET
07	TBSW-022625	2/26/25	—	W	—

Sample Specific Comments														
														MS/MSD collected pH 6.58
														pH 7.07
														pH 7.18
														pH 8.41
														pH 7.57

Relinquished By: <i>[Signature]</i>	Date/Time: 2/26/25 16:12	Received By: <i>[Signature]</i>	Date/Time: 2/26/25 18:35
<i>Anthony Green</i>		<i>Anthony Green</i>	

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



1094

**CUSTODY SEAL**

Date 2/26/25  
Signature [Signature]

PAGE ANALYTICAL  
Custody seal was received intact from client.  
The seal has been broken by PACE representative to add ice label over or close to the original seal

PAGE ANALYTICAL  
Custody seal was received intact from client.  
The seal has been broken by PACE representative to add ice label over or close to the original seal

90009

PAGE ANALYTICAL  
Custody seal was received intact from client.  
The seal has been broken by PACE representative to add ice label over or close to the original seal

**CUSTODY SEAL**

Date 2/26/25  
Signature [Signature]

**Thermo**  
SCIENTIFIC

90009



90009

**Thermo**  
SCIENTIFIC

Signature \_\_\_\_\_  
Date 022625  
**CUSTODY SEAL**

2 of 4

**PACE ANALYTICAL**  
Custody seal was received intact from client.  
The seal has been broken by PACE representative to add ice.  
Apply label over or close to the original seal

**CUSTODY SEAL**  
Date 022625  
Signature \_\_\_\_\_

**Thermo**  
SCIENTIFIC

90009

**PACE ANALYTICAL**  
Custody seal was received intact from client.  
The seal has been broken by PACE representative to add ice.  
Apply label over or close to the original seal

**CUSTODY SEAL**

Date 2/26/25  
Signature [Signature]

**Thermo**  
SCIENTIFIC

90009

**PACE ANALYTICAL**  
Custody seal was received intact from client.  
The seal has been broken by PACE representative to add ice  
Apply label over or close to the original seal

3082

**CUSTODY SEAL**

Date 2/26/25  
Signature [Signature]

**Thermo**  
SCIENTIFIC

**PACE ANALYTICAL**  
Custody seal was received intact from client.  
The seal has been broken by PACE representative to add ice  
Apply label over or close to the original seal

**PACE ANALYTICAL**  
 Custody seal was received intact from client. The seal has been broken by PACE representative to add ice. Apply label over or close to the original seal

4044

**CUSTODY SEAL**

Date 2/26/25  
 Signature [Signature]

**Thermo**  
 SCIENTIFIC

60006

60006

**Thermo**  
 SCIENTIFIC

**CUSTC**  
 Date 2/26  
 Signature -

**PACE ANALYTICAL**  
 Custody seal was received intact from client. The seal has been broken by PACE representative to add ice. Apply label over or close to the original seal



## ANALYTICAL REPORT

Lab Number:	L2510603
Client:	WSP USA Inc. 10 Lake Center Drive Suite 205 Marlton, NJ 08053
ATTN:	Julie Lehrman
Phone:	(856) 793-2005
Project Name:	SPS TECHNOLOGIES
Project Number:	US0043268.2150
Report Date:	02/28/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510603  
**Report Date:** 02/28/25

<b>Lab Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L2510603-01	OF004_022625	WATER	JENKINTOWN, PA	02/26/25 09:30	02/26/25
L2510603-02	FD0F_022625	WATER	JENKINTOWN, PA	02/26/25 00:00	02/26/25
L2510603-03	OF006_022625	WATER	JENKINTOWN, PA	02/26/25 13:40	02/26/25

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510603  
**Report Date:** 02/28/25

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

**HOLD POLICY** - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

---



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510603  
**Report Date:** 02/28/25

### Case Narrative (continued)

#### Report Submission

February 28, 2025: This final report includes the results of all requested analyses.

February 27, 2025: This is a preliminary report.

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Caitlin Walukevich

Title: Technical Director/Representative

Date: 02/28/25

# METALS



**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510603**Project Number:** US0043268.2150**Report Date:** 02/28/25**SAMPLE RESULTS**

Lab ID: L2510603-01

Date Collected: 02/26/25 09:30

Client ID: OF004\_022625

Date Received: 02/26/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Aluminum, Total	44.25		ug/l	10.00	3.270	1	02/27/25 07:30	02/27/25 11:17	EPA 3005A	3,200.8	NTB
Copper, Total	9.660		ug/l	1.000	0.3840	1	02/27/25 07:30	02/27/25 11:17	EPA 3005A	3,200.8	NTB
Iron, Total	103.1		ug/l	50.00	19.10	1	02/27/25 07:30	02/27/25 11:17	EPA 3005A	3,200.8	NTB
Lead, Total	2.453		ug/l	1.000	0.3430	1	02/27/25 07:30	02/27/25 11:17	EPA 3005A	3,200.8	NTB



**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510603**Project Number:** US0043268.2150**Report Date:** 02/28/25**SAMPLE RESULTS**

Lab ID: L2510603-02

Date Collected: 02/26/25 00:00

Client ID: FD0F\_022625

Date Received: 02/26/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Aluminum, Total	20.79		ug/l	10.00	3.270	1	02/27/25 07:30	02/27/25 12:13	EPA 3005A	3,200.8	NTB
Copper, Total	8.241		ug/l	1.000	0.3840	1	02/27/25 07:30	02/27/25 12:13	EPA 3005A	3,200.8	NTB
Iron, Total	61.21		ug/l	50.00	19.10	1	02/27/25 07:30	02/27/25 12:13	EPA 3005A	3,200.8	NTB
Lead, Total	1.070		ug/l	1.000	0.3430	1	02/27/25 07:30	02/27/25 12:13	EPA 3005A	3,200.8	NTB



**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510603**Project Number:** US0043268.2150**Report Date:** 02/28/25**SAMPLE RESULTS**

Lab ID: L2510603-03

Date Collected: 02/26/25 13:40

Client ID: OF006\_022625

Date Received: 02/26/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Aluminum, Total	20.52		ug/l	10.00	3.270	1	02/27/25 07:30	02/27/25 12:18	EPA 3005A	3,200.8	NTB
Copper, Total	7.593		ug/l	1.000	0.3840	1	02/27/25 07:30	02/27/25 12:18	EPA 3005A	3,200.8	NTB
Iron, Total	164.8		ug/l	50.00	19.10	1	02/27/25 07:30	02/27/25 12:18	EPA 3005A	3,200.8	NTB
Lead, Total	1.236		ug/l	1.000	0.3430	1	02/27/25 07:30	02/27/25 12:18	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES

Lab Number: L2510603

Project Number: US0043268.2150

Report Date: 02/28/25

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-03 Batch: WG2034610-1									
Aluminum, Total	ND	ug/l	10.00	3.270	1	02/27/25 07:30	02/27/25 10:53	3,200.8	NTB
Copper, Total	ND	ug/l	1.000	0.3840	1	02/27/25 07:30	02/27/25 10:53	3,200.8	NTB
Iron, Total	ND	ug/l	50.00	19.10	1	02/27/25 07:30	02/27/25 10:53	3,200.8	NTB
Lead, Total	ND	ug/l	1.000	0.3430	1	02/27/25 07:30	02/27/25 10:53	3,200.8	NTB

### Prep Information

Digestion Method: EPA 3005A





### Lab Control Sample Analysis Batch Quality Control

**Project Name:** SPS TECHNOLOGIES

**Project Number:** US0043268.2150

**Lab Number:** L2510603

**Report Date:** 02/28/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-03 Batch: WG2034610-2								
Aluminum, Total	98		-		85-115	-		
Copper, Total	106		-		85-115	-		
Iron, Total	105		-		85-115	-		
Lead, Total	93		-		85-115	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510603  
**Report Date:** 02/28/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-03			QC Batch ID: WG2034610-3			WG2034610-4			QC Sample: L2510601-01		Client ID: MS Sample	
Aluminum, Total	93.91	2000	2034	97		2120	101		70-130	4		20
Copper, Total	2.596	250	265.8	105		268.8	106		70-130	1		20
Iron, Total	276.7	1000	1274	100		1328	105		70-130	4		20
Lead, Total	0.6502J	530	483.7	91		498.1	94		70-130	3		20
Total Metals - Mansfield Lab Associated sample(s): 01-03 OF004_022625			QC Batch ID: WG2034610-5			WG2034610-6			QC Sample: L2510603-01		Client ID:	
Aluminum, Total	44.25	2000	2005	98		2047	100		70-130	2		20
Copper, Total	9.660	250	272.2	105		275.8	106		70-130	1		20
Iron, Total	103.1	1000	1120	102		1145	104		70-130	2		20
Lead, Total	2.453	530	488.6	92		496.1	93		70-130	2		20



# **INORGANICS & MISCELLANEOUS**

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510603  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

**Lab ID:** L2510603-01  
**Client ID:** OF004\_022625  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 02/26/25 09:30  
**Date Received:** 02/26/25  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Solids, Total Suspended	17000		ug/l	5000	NA	1	-	02/27/25 06:44	121,2540D	BAY
Nitrogen, Nitrate/Nitrite	2200		ug/l	100	46.	1	-	02/27/25 06:14	44,353.2	KAF
Chemical Oxygen Demand	76000		ug/l	20000	6000	1	02/27/25 08:15	02/27/25 11:14	44,410.4	CVN



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510603  
**Report Date:** 02/28/25

**SAMPLE RESULTS**

**Lab ID:** L2510603-02  
**Client ID:** FD0F\_022625  
**Sample Location:** JENKINTOWN, PA

**Date Collected:** 02/26/25 00:00  
**Date Received:** 02/26/25  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Solids, Total Suspended	13000		ug/l	5000	NA	1	-	02/27/25 06:44	121,2540D	BAY
Nitrogen, Nitrate/Nitrite	2200		ug/l	100	46.	1	-	02/27/25 06:17	44,353.2	KAF
Chemical Oxygen Demand	79000		ug/l	20000	6000	1	02/27/25 08:15	02/27/25 11:15	44,410.4	CVN



Project Name: SPS TECHNOLOGIES

Lab Number: L2510603

Project Number: US0043268.2150

Report Date: 02/28/25

## SAMPLE RESULTS

Lab ID: L2510603-03

Date Collected: 02/26/25 13:40

Client ID: OF006\_022625

Date Received: 02/26/25

Sample Location: JENKINTOWN, PA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Solids, Total Suspended	ND		ug/l	5000	NA	1	-	02/27/25 06:44	121,2540D	BAY
Nitrogen, Nitrate/Nitrite	4600		ug/l	100	46.	1	-	02/27/25 06:18	44,353.2	KAF
Chemical Oxygen Demand	34000		ug/l	20000	6000	1	02/27/25 08:15	02/27/25 11:15	44,410.4	CVN





Project Name: SPS TECHNOLOGIES

Lab Number: L2510603

Project Number: US0043268.2150

Report Date: 02/28/25

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-03 Batch: WG2034605-1									
Nitrogen, Nitrate/Nitrite	ND	ug/l	100	46.	1	-	02/27/25 02:58	44,353.2	KAF
General Chemistry - Westborough Lab for sample(s): 01-03 Batch: WG2034627-1									
Solids, Total Suspended	ND	ug/l	5000	NA	1	-	02/27/25 06:44	121,2540D	BAY
General Chemistry - Westborough Lab for sample(s): 01-03 Batch: WG2034650-1									
Chemical Oxygen Demand	ND	ug/l	20000	6000	1	02/27/25 08:15	02/27/25 11:13	44,410.4	CVN



### Lab Control Sample Analysis Batch Quality Control

**Project Name:** SPS TECHNOLOGIES

**Project Number:** US0043268.2150

**Lab Number:** L2510603

**Report Date:** 02/28/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-03 Batch: WG2034605-2								
Nitrogen, Nitrate/Nitrite	96		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-03 Batch: WG2034627-2								
Solids, Total Suspended	102		-		80-120	-		
General Chemistry - Westborough Lab Associated sample(s): 01-03 Batch: WG2034650-2								
Chemical Oxygen Demand	96		-		90-110	-		



### Matrix Spike Analysis Batch Quality Control

**Project Name:** SPS TECHNOLOGIES

**Lab Number:** L2510603

**Project Number:** US0043268.2150

**Report Date:** 02/28/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG2034605-4 QC Sample: L2510603-01 Client ID: OF004_022625												
Nitrogen, Nitrate/Nitrite	2200	4000	5500	82	-	-	-	-	80-120	-	-	20
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG2034650-3 QC Sample: L2510603-01 Client ID: OF004_022625												
Chemical Oxygen Demand	76000	238000	320000	102	-	-	-	-	90-110	-	-	20

## Lab Duplicate Analysis

*Batch Quality Control*

Project Name: SPS TECHNOLOGIES

Project Number: US0043268.2150

Lab Number: L2510603

Report Date: 02/28/25

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG2034605-3 QC Sample: L2510603-01 Client ID: OF004_022625						
Nitrogen, Nitrate/Nitrite	2200	2200	ug/l	0		20
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG2034627-3 QC Sample: L2510603-01 Client ID: OF004_022625						
Solids, Total Suspended	17000	16000	ug/l	6		32
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG2034650-4 QC Sample: L2510603-01 Client ID: OF004_022625						
Chemical Oxygen Demand	76000	79000	ug/l	4		20

**Project Name:** SPS TECHNOLOGIES**Lab Number:** L2510603**Project Number:** US0043268.2150**Report Date:** 02/28/25**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

**Cooler Information**

<b>Cooler</b>	<b>Custody Seal</b>
A	Present/Intact
B	Present/Intact
C	Present/Intact
D	Present/Intact

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2510603-01A	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Present/Intact		PB-2008T-PPB(180),FE-2008T-PPB(180),AL-2008T-PPB(180),CU-2008T-PPB(180)
L2510603-01A1	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Present/Intact		PB-2008T-PPB(180),FE-2008T-PPB(180),AL-2008T-PPB(180),CU-2008T-PPB(180)
L2510603-01A2	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Present/Intact		PB-2008T-PPB(180),FE-2008T-PPB(180),AL-2008T-PPB(180),CU-2008T-PPB(180)
L2510603-01B	Plastic 250ml H2SO4 preserved	B	<2	<2	2.4	Y	Present/Intact		NO3/NO2-353-PPB(28),COD-410-PPB(28)
L2510603-01B1	Plastic 250ml H2SO4 preserved	B	<2	<2	2.4	Y	Present/Intact		NO3/NO2-353-PPB(28),COD-410-PPB(28)
L2510603-01B2	Plastic 250ml H2SO4 preserved	B	<2	<2	2.4	Y	Present/Intact		NO3/NO2-353-PPB(28),COD-410-PPB(28)
L2510603-01C	Plastic 950ml unpreserved	B	7	7	2.4	Y	Present/Intact		TSS-2540-PPB(7)
L2510603-01C1	Plastic 950ml unpreserved	B	7	7	2.4	Y	Present/Intact		TSS-2540-PPB(7)
L2510603-01C2	Plastic 950ml unpreserved	B	7	7	2.4	Y	Present/Intact		TSS-2540-PPB(7)
L2510603-02A	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Present/Intact		PB-2008T-PPB(180),AL-2008T-PPB(180),FE-2008T-PPB(180),CU-2008T-PPB(180)
L2510603-02B	Plastic 250ml H2SO4 preserved	B	<2	<2	2.4	Y	Present/Intact		NO3/NO2-353-PPB(28),COD-410-PPB(28)
L2510603-02C	Plastic 950ml unpreserved	B	7	7	2.4	Y	Present/Intact		TSS-2540-PPB(7)
L2510603-03A	Plastic 250ml HNO3 preserved	B	<2	<2	2.4	Y	Present/Intact		PB-2008T-PPB(180),AL-2008T-PPB(180),FE-2008T-PPB(180),CU-2008T-PPB(180)
L2510603-03B	Plastic 250ml H2SO4 preserved	B	<2	<2	2.4	Y	Present/Intact		NO3/NO2-353-PPB(28),COD-410-PPB(28)
L2510603-03C	Plastic 950ml unpreserved	B	7	7	2.4	Y	Present/Intact		TSS-2540-PPB(7)

**Project Name:** SPS TECHNOLOGIES

**Project Number:** US0043268.2150

Serial\_No:02282510:25

**Lab Number:** L2510603

**Report Date:** 02/28/25

**Container Information**

**Container ID    Container Type**

**Cooler    Initial pH    Final pH    Temp deg C    Pres    Seal    Frozen Date/Time    Analysis(\*)**



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510603  
**Report Date:** 02/28/25

## GLOSSARY

### Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)  Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers





**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510603  
**Report Date:** 02/28/25

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Chlordane:** The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

**Difference:** With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Gasoline Range Organics (GRO):** Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**PAH Total:** With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

**PFAS Total:** With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510603  
**Report Date:** 02/28/25

#### **Data Qualifiers**

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

**Project Name:** SPS TECHNOLOGIES  
**Project Number:** US0043268.2150

**Lab Number:** L2510603  
**Report Date:** 02/28/25

### REFERENCES

- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 44 Methods for the Determination of Inorganic Substances in Environmental Samples, EPA/600/R-93/100, August 1993.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

### LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at it's own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



**Pace Analytical Services LLC**

ID No.:17873

Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 1 of 2

**Certification Information**

The following analytes are not included in our Primary NELAP Scope of Accreditation:

**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581****EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**MADEP-APH.****Nonpotable Water:** EPA RSK-175 Dissolved Gases**Biological Tissue Matrix:** EPA 3050B**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048****EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Nonpotable Water:** EPA RSK-175 Dissolved Gases

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581****Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,****SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).**Microbiology:** SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.**EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1** Hg.**SM2340B**

**Pace Analytical Services LLC**

ID No.:17873

Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 2 of 2

**Certification IDs:****Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

CT PH-0826, IL 200077, IN C-MA-03, KY JY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048**

CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 3090, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048**

ANAB/DoD L2474, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

---

For a complete listing of analytes and methods, please contact your Project Manager.

L2510603 27FEB25  
GOLDER - NJ



# CHAIN OF CUSTODY

PAGE 1 OF 1

WESTBORO, MA  
TEL: 508-898-9220  
FAX: 508-898-9193

MANSFIELD, MA  
TEL: 508-822-9300  
FAX: 508-822-3288

## Project Information

Project Name: *SPS Technologies*  
Project Location: *Jenkintown, PA*  
Project #: *U50043268.2150*  
Project Manager: *Tovah Karl*  
ALPHA Quote #:

## Report Information - Data Deliverables

FAX  EMAIL  
 ADEx  Add'l Deliverables

## Billing Information

Same as Client info PO #:

## Client Information

Client: *WSP USA Inc.*  
Address: *10 Lake Center Dr.*  
*Suite 205, Marlton, NJ 08053*  
Phone: *856-793-2005*  
Fax: *856-793-2006*  
Email: *Tovah.karl@usp.com*  
*Stacy.mason@usp.com*  
 These samples have been previously analyzed by Alpha

## Turn-Around Time

Standard  RUSH (only confirmed if pre-approved)  
Date Due: Time: *1 Day*

## Regulatory Requirements/Report Limits

State /Fed Program: *PA* Criteria:

## Other Project Specific Requirements/Comments/Detection Limits:

*\* Attorney - client privileged + Confidential*

ANALYSIS	SAMPLE HANDLING										TOTAL # BOTTLES				
	Total Suspended Solids	Chemical Oxygen Demand	Nitrate-Nitrite as N	Total Aluminum	Total Copper	Total Iron	Total Lead	Filtration	Done	Not needed		Lab to do	Preservation	Lab to do	
											<input type="checkbox"/> Done	<input type="checkbox"/> Not needed	<input type="checkbox"/> Lab to do	<input type="checkbox"/> Lab to do	
											(Please specify below)				

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	ANALYSIS										Sample Specific Comments	TOTAL # BOTTLES		
		Date	Time			Total Suspended Solids	Chemical Oxygen Demand	Nitrate-Nitrite as N	Total Aluminum	Total Copper	Total Iron	Total Lead	Other	Other	Other			Other	
<i>10653-01</i>	<i>0F004-022625</i>	<i>2/26/25</i>	<i>0930</i>	<i>SW</i>	<i>EMR</i>	X	X	X	X	X	X	X	X	X	X	X		<i>MS/MSD</i>	<i>9</i>
<i>02</i>	<i>FDOF-022625</i>	<i>2/26/25</i>	<i>—</i>	<i>SW</i>	<i>EMR</i>	X	X	X	X	X	X	X	X	X	X	X			<i>3</i>
<i>03</i>	<i>0F006-022625</i>	<i>2/26/25</i>	<i>1346</i>	<i>SW</i>	<i>EMR</i>	X	X	X	X	X	X	X	X	X	X	X			<i>3</i>

Container Type	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>
Preservative	<i>A</i>	<i>D</i>	<i>D</i>	<i>C</i>	<i>C</i>	<i>C</i>	<i>C</i>

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By: *Anthony Green* Date/Time: *2/26/25 16:13*  
Received By: *Anthony Green* Date/Time: *2/26/25 16:16*  
*2/26/25 1835*  
*2/26/25 2530*



1094

**CUSTODY SEAL**

Date 2/26/25  
Signature [Signature]

PAC  
Cus  
The  
PAC  
Apply

**THE ANALYTICAL**

Custody seal was received intact from client. The seal has been broken by the representative to add ice label over or close to the original seal

90009

**PAGE ANALYTICAL**

Custody seal was received intact from client. The seal has been broken by the representative to add ice label over or close to the original seal

**CUSTODY SEAL**

Date 5/26/25  
Signature [Signature]

**Thermo**  
SCIENTIFIC

90009



60006

**Thermo**  
SCIENTIFIC

**CUSTODY SEAL**  
Date 022625  
Signature [Signature]

2 of 4

**PACE ANALYTICAL**  
Custody seal was received intact from client.  
The seal has been broken by PACE representative to add ice.  
Apply label over or close to the original seal

**CUSTODY SEAL**  
Date 022625  
Signature [Signature]

**Thermo**  
SCIENTIFIC

60006

**PACE ANALYTICAL**  
Custody seal was received intact from client.  
The seal has been broken by PACE representative to add ice.  
Apply label over or close to the original seal

# CUSTODY SEAL

Date 2/26/25  
Signature [Signature]

# Thermo

SCIENTIFIC

90009

**PACE ANALYTICAL**

Custody seal was received intact from client. The seal has been broken by PACE representative to add ice. Apply label over or close to the original seal.

3084

# CUSTODY SEAL

Date 2/26/25  
Signature [Signature]

# Thermo

SCIENTIFIC

**PACE ANALYTICAL**

Custody seal was received intact from client. The seal has been broken by PACE representative to add ice. Apply label over or close to the original seal.

**P/ ACE ANALYTICAL**

Custody seal was received  
 intact from client.  
 The seal has been broken by  
 P/ ACE representative to add ice  
 Apply label over or close to the original seal

4 of 4

**CUSTODY SEAL**

Date 2/26/25  
 Signature [Signature]

**Thermo**  
 SCIENTIFIC

80008

80008

**Thermo**  
 SCIENTIFIC

**CUSTC**  
 Date 2/26  
 Signature -

**P/ ACE ANALYTICAL**

Custody seal was received  
 intact from client.  
 The seal has been broken by  
 P/ ACE representative to add ice  
 Apply label over or close to the original seal