



**SPS TECHNOLOGIES - ABINGTON PA
DAILY SURFACE WATER AND OUTFALL SAMPLING
RESULTS REPORT FOR MARCH 16, 2025**

PREPARED FOR:
SPS TECHNOLOGIES

PREPARED BY:
TRC ENVIRONMENTAL CORPORATION, INC
1617 JFK BOULEVARD, SUITE 510
PHILADELPHIA, PA 19103

MARCH 19, 2025

TABLE OF CONTENTS

	Page No.
1.0 EXECUTIVE SUMMARY	1
2.0 INTRODUCTION	2
2.1 BACKGROUND	2
3.0 OFF-SITE SURFACE WATER INVESTIGATION.....	3
3.1 SURFACE WATER SAMPLING METHODOLOGY	3
3.2 SURFACE WATER SAMPLING	3
3.3 SURFACE WATER SAMPLING RESULTS.....	3
4.0 DATA QUALITY ASSURANCE/QUALITY CONTROL MANAGEMENT.....	5
4.1 FIELD QUALITY ASSURANCE/QUALITY CONTROL REQUIREMENTS.	5
4.2 ANALYTICAL QA/QC SAMPLES	5
4.3 DATA EVALUATION.....	5
4.4 REFERENCES.....	5

Figures

Figure 1: On-Site Investigation Surface Water and Outfall Sampling Locations

Figure 2: Off-Site Investigation Surface Water Locations

Table

Table 1: Surface Water Analytical Results

Appendices

Appendix A: Surface Water Field Information Form

Appendix B: Data Validation Report

Appendix C: Laboratory Analytical Report

1.0 EXECUTIVE SUMMARY

TRC Environmental Corporation, on behalf of SPS Technologies Abington PA (SPS), collected five surface water samples accordance with WSP USA Inc. Surface Water and Outfall Sampling Plan revised on March 5, 2025 (Sampling Plan). The samples were collected on March 16, 2025 and submitted to a Pennsylvania-certified analytical laboratory for analysis. The sample locations are shown in the attached **Figures 1 and 2** and the results of the analysis are shown below. Please note, outfalls were not sampled during this sampling event because there was no precipitation.

Surface Water		Upstream Offsite SW Sample Location 1	Upstream Offsite SW Sample Location 2	SW Sample Location 3	SW Sample Location 3 (Duplicate)	High School Road Sample Location 4	Downstream SW Sample Location 5
Parameter	Units	Result	Result	Result	Result	Result	Result
Volatile Organic Compounds							
Toluene	mg/L	ND	ND	ND	ND	ND	ND
2-Butanone (MEK)	mg/L	ND	ND	ND	ND	ND	ND
General Chemistry							
Chromium, Trivalent	mg/L	ND	ND	ND	ND	ND	ND
Chromium, Hexavalent	mg/L	ND	ND	ND	ND	ND	ND
Total Cyanide	mg/L	ND	ND	ND	0.001 J	ND	ND
Free Cyanide	mg/L	ND	ND	ND	ND	ND	ND
Oil & Grease	mg/L	ND	ND	ND	ND	ND	ND
Total Metals							
Total Chromium	mg/L	ND	0.00029 J	0.00029 J	0.00033 J	ND	0.00031 J
Total Nickel	mg/L	0.00149 J	0.00071 J	0.00093 J	0.00098 J	0.00167 J	0.00125 J
Dissolved Metals							
Dissolved Chromium	mg/L	ND	0.0004 J	0.0003 J	0.0003 J	ND	ND
Dissolved Nickel	mg/L	0.0014 J	0.0007 J	0.0009 J	0.0012 J	0.0016 J	0.0013 J
Total Hardness							
Hardness	mg/L	270.6	214.2	217.8	211.9	219.0	192.8
Field Parameters							
pH	SU	7.35	7.65	7.31	7.31	6.74	6.26

A detailed description of the sampling procedure, results, and data evaluation are included in this Sampling Report. The laboratory data validation reports and the complete laboratory analytical reports, including Quality Assurance/Quality Control (QA/QC) are attached.

2.0 INTRODUCTION

This Daily Surface Water and Outfall Sampling Results Report for March 16, 2025 (Sampling Report) was prepared by TRC Environmental Corporation, Inc., (TRC) on behalf of SPS Technologies Abington PA (SPS). The SPS facility is located at 301 Highland Avenue, Jenkintown, PA 19046 (Site). This Sampling Report was prepared to provide the off-Site surface water sampling results from March 16, 2025, which were collected in accordance with WSP USA Inc. Surface Water and Outfall Sampling Plan revised on March 5, 2025.

2.1 Background

The Site is currently owned by SPS Technologies. On February 17, 2025, a fire broke out at the facility causing major damage and a cessation of operation. Prior to the fire, facility operations consisted of manufacturing of bolts, nuts, screws, rivets, washers, furniture, and fixtures.

3.0 OFF-SITE SURFACE WATER INVESTIGATION

TRC collected five surface water samples at the approved upstream and downstream sampling locations along the Tookany and Tacony Creeks on March 16, 2025. The locations are located northeast and west from the facility, and downstream from the conjoined stream south from the facility. Outfalls were not sampled during this event because there was no precipitation.

3.1 Surface Water Sampling Methodology

TRC collected the surface water samples in accordance with the Sampling Plan. Field data collected from each surface water during the sampling include:

- Water depth
- Weather conditions
- Physical characteristics (clarity, appearance, odor)
- Water Quality (DO, pH, OPR, turbidity, conductivity, and temperature)
- Water velocity (visibly moving)
- Additional observations (e.g. wildlife sightings)

The field data is documented in the daily field sampling form included as **Appendix A**, except for the in-field pH measurement, which is summarized in **Table 1**.

3.2 Surface Water Sampling

All samples were submitted to Pace Analytical in Westborough, Massachusetts (Certification No. 68-03671) and Pace Analytical in Mansfield, Massachusetts (Certification No. 68-02089), following chain-of-custody protocols.

3.3 Surface Water Sampling Results

Surface water samples were collected from the five approved locations in accordance with Sampling Plan for the following parameters:

- Oil & Grease
- Free Cyanide
- Total Cyanide
- Total Nickel
- Dissolved Nickel
- Total Chromium
- Dissolved Chromium
- Hexavalent Chromium (calculated for Trivalent Chromium)
- Methyl ethyl ketone (2-Butanone)
- Toluene
- Total Hardness

The validated analytical results are summarized in **Table 1**. The sampling locations are shown on **Figures 1 and 2**.

4.0 DATA QUALITY ASSURANCE/QUALITY CONTROL MANAGEMENT

4.1 Field Quality Assurance/Quality Control Requirements.

Field personnel performed data quality control (QC) verification of field measurements. This process includes equipment calibration, reviewing calibration records, and duplicate readings to ensure data accuracy. Field measurements were documented in the field information form included as **Appendix A** and pH readings are summarized in **Table 1**.

All hand equipment used during the sampling event was cleaned with Alconox and distilled water. Disposable equipment was used for sample collection and processing as appropriate. Field personnel wore disposable nitrile sampling gloves during sampling activities. Sampling gloves were discarded following collection at each sample location and replaced before handling decontaminated equipment or work surfaces.

4.2 Analytical QA/QC Samples

All quality assurance and quality control (QA/QC), field duplicates and matrix spikes/matrix spike duplicates (MS/MSD) were collected in accordance with the Sampling Plan at a rate of 1 per 20 samples per day. A trip blank was included daily for volatile organic compounds (VOCs). A field blank was not collected because single-use disposable ladles were used to collect samples.

4.3 Data Evaluation

The reliability of the analytical data was evaluated to assess its suitability for use in off-Site surface water monitoring. In particular, the data's precision, accuracy, and sensitivity were evaluated based on field sampling documentation, adherence to sample holding times, and analysis of the QC samples (duplicates, spikes, and blanks). Data validation was performed in accordance with the Sampling Plan. The data validation report is included as **Appendix B**. The laboratory analytical report is included as **Appendix C**.

4.4 References

- SPS Technologies Sampling Plan, revised on March 5, 2025

C:\Users\USPC714485\OneDrive - WSP_0365\Documents\TEMP_SPS\03 SW-Outlet Sampling\Fig 1-2 SW-Outlet Sample Locations.dwg Tue, 25 Feb 2025 - 4:03pm USPC714485 Layout: Fig 1 On-Site SW-Outlet Sample Locations



SOURCE
NEARMAP IMAGERY, JUNE 16, 2024.

LEGEND
 SW = SURFACE WATER
 ● SURFACE WATER SAMPLE LOCATION
 ● APPROXIMATE OUTFALL SAMPLE LOCATION

wsp

WSP USA Inc.
751 Arbor Way, Suite 180
Blue Bell, PA 19422
Tel. 610-828-8100
www.wsp.com

PROJECTION / DATUM: PA83-SF
 PREPARED BY: PJC
 CHECKED BY: KM
 REVIEWED BY: TK

0 150' 300'
SCALE: 1" = 300'

CLIENT

TITLE
ON-SITE INVESTIGATION SURFACE WATER AND OUTFALL SAMPLE LOCATIONS

PROJECT
SURFACE WATER AND OUTFALL SAMPLING PLAN

PROJECT NO.: US0043268.2150
 REVISION NO.: 0
 DATE: FEBRUARY 2025
 FIGURE NO.: **1**

C:\Users\USPC714485\OneDrive - WSP\0365\Documents\TEMP_SPS\03 SW-Outfall Sampling\Fig 1-2 SW-Outfall Sample Locations.dwg Tue, 25 Feb 2025 - 4:05pm USPC714485 Layout: Fig 2 Off-Site SW Sample Locations



SOURCE
GEOMAP IMAGERY, 2025.

LEGEND
SW = SURFACE WATER
● SURFACE WATER SAMPLE LOCATION



WSP USA Inc.
751 Arbor Way, Suite 180
Blue Bell, PA 19422
Tel. 610-828-8100
www.wsp.com

PROJECTION / DATUM: PA83-SF
0 1,500' 3,000'
SCALE: 1" = 3,000'
PREPARED BY: PJC
CHECKED BY: KM
REVIEWED BY: TK

CLIENT
PROJECT

**SURFACE WATER AND
OUTFALL SAMPLING PLAN**

TITLE
**OFF-SITE INVESTIGATION SURFACE WATER
SAMPLE LOCATIONS**

PROJECT NO.: US0043268.2150
REVISION NO.: 0
DATE: FEBRUARY 2025
FIGURE NO.:

March 2025

Table 1

Surface Water Analytical Results
Daily Surface Water Sampling Results Report SPS Technologies
Jenkintown, Pennsylvania

Project Number: 658978

Sample Location	Upstream Offsite SW Sample Location 1			Upstream Offsite SW Sample Location 2			SW Sample Location 3			SW Sample Location 3 (Duplicate)			High School Road Sample Location 4			Downstream SW Sample Location 5					
	Field Sample ID	Lab Sample ID	Sampling Date	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL			
	SW2-031625	L2515044-02	3/16/2025	ND		0.0010	ND		0.0010	ND		0.0010	ND		0.0010	ND		0.0010			
		L2515044-01	3/16/2025	ND		0.010	ND		0.010	ND		0.010	ND		0.010	ND		0.010			
			3/16/2025	ND		0.005	ND		0.005	0.001	J	0.005	ND		0.005	ND		0.005			
			3/16/2025	ND		0.010	ND		0.010	ND		0.010	ND		0.010	ND		0.010			
			3/16/2025	ND		4.0	ND		4.0	ND		4.0	ND		4.0	ND		4.0			
			3/16/2025	ND		0.00100	0.00029	J	0.00100	0.00029	J	0.00100	0.00033	J	0.00100	ND		0.00100	0.00031	J	0.00100
			3/16/2025	0.00149	J	0.00200	0.00071	J	0.00200	0.00093	J	0.00200	0.00098	J	0.00200	0.00167	J	0.00200	0.00125	J	0.00200
			3/16/2025	ND		0.0010	0.0004	J	0.0010	0.0003	J	0.0010	0.0003	J	0.0010	ND		0.0010	ND		0.0010
			3/16/2025	0.0014	J	0.0020	0.0007	J	0.0020	0.0009	J	0.0020	0.0012	J	0.0020	0.0016	J	0.0020	0.0013	J	0.0020
			3/16/2025	270.6		0.5400	214.2		0.5400	217.8		0.5400	211.9		0.5400	219.0		0.5400	192.8		0.5400
			3/16/2025	7.35			7.65			7.31			7.31			6.74			6.26		

Notes:

1.) Field measurements for pH were performed by TRC field personnel prior to sample collection using a Horiba U-52. Field measurements were not validated.

Abbreviations:

mg/L: milligrams per liter
 ND: Non-Detect
 Q: Qualifier
 RL: Reporting Limit
 SU: Standard Units

Qualifiers:

J - Estimated Result

Date: 3/16/25

Project Number: 658978

SURFACE WATER/OUTFALL SAMPLE FIELD INFORMATION FORM

Site: SPS
 Location: Abington, PA
 Project Number: 658978
 Water Quality Meter: Hanna U-50 S/N: U110312X
 Meter Calibrated @: 3/16/25 @ 0835
 Flow Meter: ITT MF DCO S/N: 330387
 Sampling Date/Time: SW5 @ 0920 SW4 @ 1030 SW1 @ 1100
SW2 @ 1140 SW3 @ 1220
 Sampler(s): Amber Farberman, Frank Delizio
 Sampling Device: Telescoping dipper pole
 Sample Characteristics: clear, no odor
 Analytical Parameters:

Additional Notes:
SW5 - collect MS/MSD
SW3 - collect Dup-031625
SW3 - sheen observed
PID 0.0 at all locations
Utilized single use disposable sampling
method (cups) for each location so
no field blanks were collected.

Weather Conditions: cloudy H 68 L 59 wind 20 mph N

SAMPLE / STATION	STATION DESCRIPTION (stream, lake, river)	DATE	TIME	TOTAL DEPTH	SAMPLE DEPTH	WATER TEMP	SALINITY	pH	COND.	ORP	TURBIDITY	DO	VELOCITY
		MM/DD/YY	hr:min	inches		Celsius	ppt	SU	ir/cm	mV	NTU	mg/L	f/sec
SW5-031625	creek	3/16/25	09:20	16	8	12.18	0.4	6.26	0.887	343	0.6	7.02	0.454
Sample Characteristics:													
SW4-031625	creek	3/16/25	10:30	49.5	24.75	11.63	0.5	6.74	0.990	310	1.0	8.73	0.090
Sample Characteristics:													
SW1-031625	creek	3/16/25	11:00	7	3.5	12.45	0.4	7.65	0.820	259	16.7	10.25	0.125
Sample Characteristics:													
SW2-031625	creek	3/16/25	11:40	19.5	9.75	12.97	0.6	7.35	1.15	264	0.6	10.98	0.020
Sample Characteristics:													
SW3-031625	creek	3/16/25	12:20	27	13.5	14.22	0.4	7.31	0.834	262	0.0	8.48	0.117
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													
Sample Characteristics:													



Data Validation Report

Site: SPS Technologies, Surface Water Sampling
Laboratory: Pace Analytical, Westborough and Mansfield, MA
SDG No.: L2515044
Parameters: Select Volatile Organic Compounds (VOCs), Select Metals, Hardness, Total Cyanide, Free Cyanide, Oil & Grease, Hexavalent Chromium, Trivalent Chromium
Data Reviewer: Jessica Esser/TRC
Peer Reviewer: Kristen Morin/TRC
Date: March 17, 2025

Samples Reviewed and Evaluation Summary

6 Surface Water Samples: SW1-031625, SW2-031625, SW3-031625, SW4-031625, SW5-031625, DUP-031625¹

1 Trip Blank: TBSW-031625

¹Field duplicate of SW3-031625

The above-listed samples were collected on March 16, 2025 and were analyzed for one or more of the following parameters.

- Select VOCs (toluene, 2-butanone) using EPA Method 624.1
- Select total and dissolved metals (chromium, nickel) using EPA Method 200.8
- Total hardness (by calculation) using EPA Method 200.8
- Total cyanide using Standard Methods (SM) 4500 CN-CE
- Free cyanide using SM 4500 CN-E (M)
- Oil and grease using EPA Method 1664B
- Hexavalent chromium using SM 3500 CR-B
- Trivalent chromium by calculation

Limited data validation was performed in accordance with *USEPA National Functional Guidelines for Organic Superfund Methods Data Review (EPA-540-R-20-005)*, November 2020 and *USEPA National Functional Guidelines for Inorganic Superfund Methods Data Review (EPA-542-R-20-006)*, November 2020, modified for the methodologies utilized.

The data were evaluated based on the following parameters:

- Overall Evaluation of Data and Potential Usability Issues
- * • Data Completeness
- * • Holding Times and Sample Preservation
- * • Blanks
- * • Surrogate Recoveries (VOCs only)
- * • Matrix Spike/Matrix Spike Duplicate (MS/MSD) Results
- * • Laboratory Duplicate Results
- * • Laboratory Control Sample (LCS) Results
- * • Field Duplicate Results
- Sample Results and Reported Quantitation Limits (QLs)

- * - All criteria were met.

Overall Evaluation of Data and Potential Usability Issues

All results are usable for project objectives. Qualification of the data as a result of sampling error was not required. Qualifications applied to the data as a result of analytical error are discussed below.

- Potential uncertainty exists for select metals and total cyanide results that were below the lowest calibration standard and QL. These results were qualified as estimated (J) by the laboratory in the associated samples. These results can be used for project objectives as estimated values, which may have a minor impact on the data usability.

Data Completeness

The data package was a complete Level 2 data package. It should be noted that the date of collection for the trip blank was listed as 3/15/25 on the chain-of-custody; the laboratory logged in the collection date for this sample as 3/16/25 (i.e., the same date of collection as the associated samples). For purposes of this assessment, it was assumed the date of collection was the same as the associated samples and the laboratory was not contacted about this discrepancy.

Holding Times and Sample Preservation

All holding time and preservation criteria were met for all parameters.

Blanks

Target analytes were not detected in the associated laboratory method blanks. Target VOCs were not detected in the trip blank. A field blank was not submitted with the data set.

Surrogate Recoveries (VOCs only)

All criteria were met.

MS/MSD Results

MS/MSD analyses were performed on sample SW5-031625 for VOCs, total and dissolved metals, hardness, total cyanide, free cyanide, oil and grease, and hexavalent chromium. All criteria were met.

Laboratory Duplicate Results

Laboratory duplicate analyses were performed on sample SW5-031625 for total cyanide, free cyanide, oil and grease, and hexavalent chromium. All criteria were met.

LCS Results

All criteria were met for all parameters.

Field Duplicate Results

Samples SW3-031625 and DUP-031625 were submitted as the field duplicate pair with this sample set. The following table summarizes the relative percent differences (RPDs) and/or absolute

differences (AbsDs), where applicable, of the detected analytes after validation. The QL was used in the calculation of the AbsD for nondetect (ND) results. All criteria were met.

Analyte	QLs (mg/L)	SW3-031625 (mg/L)	DUP-031625 (mg/L)	RPD (%) or AbsD (mg/L)	Validation Action
Total Chromium	0.001	0.00029 J	0.00033 J	AbsD = 0.00004	None; all criteria were met.
Total Nickel	0.002	0.00093 J	0.00098 J	AbsD = 0.00005	
Hardness	0.54	217.8	211.9	RPD = 2.7	
Dissolved Chromium	0.001	0.0003 J	0.0003 J	AbsD = 0	
Dissolved Nickel	0.002	0.0009 J	0.0012 J	AbsD = 0.0003	
Total Cyanide	0.005	ND	0.001 J	AbsD = 0.004	

Field duplicate criteria are as follows:

- $RPD \leq 30$ when positive results for both samples are $\geq 5x$ QL
- $AbsD \leq QL$ when one or both results are $< 5x$ QL

Sample Results and Reported Quantitation Limits

Select metals and total cyanide results were reported that were below the lowest calibration standard level and QL. These results were qualified as estimated (J) in the associated samples by the laboratory.

There were no dilutions performed on the samples in this data set.

The total and dissolved metal results were evaluated during data validation to identify any dissolved concentrations that were significantly higher than the associated total concentration. The evaluation was based on the following criteria to determine significance: percent difference (%D) should be $\leq 20\%$ when dissolved results are greater than total results and both results are $\geq 5x$ the QL. If the dissolved result was $>$ the total and one or both results were $< 5x$ the QL, then the AbsD should be $\leq 2x$ the QL. These criteria were met for all results.

QUALIFIED FORM 1s

VOLATILES

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-01
 Client ID: SW1-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 11:00
 Date Received: 03/16/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 11:13
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	81		60-140
Fluorobenzene	73		60-140
4-Bromofluorobenzene	121		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-02
 Client ID: SW2-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 11:40
 Date Received: 03/16/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 11:45
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	81		60-140
Fluorobenzene	74		60-140
4-Bromofluorobenzene	120		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-03
 Client ID: SW3-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 12:20
 Date Received: 03/16/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 12:17
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	80		60-140
Fluorobenzene	72		60-140
4-Bromofluorobenzene	120		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-04
 Client ID: SW4-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 10:30
 Date Received: 03/16/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 12:49
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	82		60-140
Fluorobenzene	69		60-140
4-Bromofluorobenzene	110		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-05
 Client ID: SW5-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 09:20
 Date Received: 03/16/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 13:21
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	77		60-140
Fluorobenzene	71		60-140
4-Bromofluorobenzene	118		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-06
 Client ID: DUP-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 12:00
 Date Received: 03/16/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 13:53
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
--	--	--	--	--	--	--

Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	79		60-140
Fluorobenzene	70		60-140
4-Bromofluorobenzene	115		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-07
 Client ID: TBSW-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 00:00
 Date Received: 03/16/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 14:26
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	77		60-140
Fluorobenzene	71		60-140
4-Bromofluorobenzene	116		60-140

METALS



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**SAMPLE RESULTS**

Lab ID: L2515044-01

Date Collected: 03/16/25 11:00

Client ID: SW1-031625

Date Received: 03/16/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00029	J	mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 12:23	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00071	J	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 12:23	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	214.2		mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 12:23	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/17/25 12:23	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0004	J	mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 12:34	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0007	J	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 12:34	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**SAMPLE RESULTS**

Lab ID: L2515044-02

Date Collected: 03/16/25 11:40

Client ID: SW2-031625

Date Received: 03/16/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	ND		mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 12:27	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00149	J	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 12:27	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	270.6		mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 12:27	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/17/25 12:27	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	ND		mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 12:38	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0014	J	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 12:38	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**SAMPLE RESULTS**

Lab ID: L2515044-03

Date Collected: 03/16/25 12:20

Client ID: SW3-031625

Date Received: 03/16/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00029	J	mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 12:32	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00093	J	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 12:32	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	217.8		mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 12:32	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/17/25 12:32	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0003	J	mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 12:43	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0009	J	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 12:43	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**SAMPLE RESULTS**

Lab ID: L2515044-04

Date Collected: 03/16/25 10:30

Client ID: SW4-031625

Date Received: 03/16/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	ND		mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 12:37	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00167	J	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 12:37	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	219.0		mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 12:37	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/17/25 12:37	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	ND		mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 12:47	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0016	J	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 12:47	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**SAMPLE RESULTS**

Lab ID: L2515044-05

Date Collected: 03/16/25 09:20

Client ID: SW5-031625

Date Received: 03/16/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00031	J	mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 11:34	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00125	J	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 11:34	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	192.8		mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 11:34	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/17/25 11:34	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	ND		mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 12:16	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0013	J	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 12:16	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**SAMPLE RESULTS**

Lab ID: L2515044-06

Date Collected: 03/16/25 12:00

Client ID: DUP-031625

Date Received: 03/16/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00033	J	mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 12:59	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00098	J	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 12:59	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	211.9		mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 12:59	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/17/25 12:59	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0003	J	mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 12:52	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0012	J	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 12:52	EPA 3005A	3,200.8	NTB



INORGANICS & MISCELLANEOUS

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-01
Client ID: SW1-031625
Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 11:00
Date Received: 03/16/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 13:49	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 11:53	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:02	121,3500CR-B	MRM



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-02
Client ID: SW2-031625
Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 11:40
Date Received: 03/16/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 13:50	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 12:01	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:02	121,3500CR-B	MRM



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-03
Client ID: SW3-031625
Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 12:20
Date Received: 03/16/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 13:53	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 12:02	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:02	121,3500CR-B	MRM



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-04
Client ID: SW4-031625
Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 10:30
Date Received: 03/16/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 13:54	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 11:56	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:02	121,3500CR-B	MRM



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-05
Client ID: SW5-031625
Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 09:20
Date Received: 03/16/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 13:55	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 09:45	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:03	121,3500CR-B	MRM



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-06
Client ID: DUP-031625
Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 12:00
Date Received: 03/16/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.001	J	mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 13:59	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 12:05	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:03	121,3500CR-B	MRM





ANALYTICAL REPORT

Lab Number:	L2515044
Client:	TRC Environmental 1617 JFK Blvd. Suite 510 Philadelphia, PA 19103
ATTN:	Julie Acton
Phone:	(215) 563-2122
Project Name:	SPS TECHNOLOGIES
Project Number:	658978
Report Date:	03/17/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2515044-01	SW1-031625	WATER	JENKINTOWN, PA	03/16/25 11:00	03/16/25
L2515044-02	SW2-031625	WATER	JENKINTOWN, PA	03/16/25 11:40	03/16/25
L2515044-03	SW3-031625	WATER	JENKINTOWN, PA	03/16/25 12:20	03/16/25
L2515044-04	SW4-031625	WATER	JENKINTOWN, PA	03/16/25 10:30	03/16/25
L2515044-05	SW5-031625	WATER	JENKINTOWN, PA	03/16/25 09:20	03/16/25
L2515044-06	DUP-031625	WATER	JENKINTOWN, PA	03/16/25 12:00	03/16/25
L2515044-07	TBSW-031625	WATER	JENKINTOWN, PA	03/16/25 00:00	03/16/25

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Caitlin Walukevich

Title: Technical Director/Representative

Date: 03/17/25

ORGANICS

VOLATILES

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-01
 Client ID: SW1-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 11:00
 Date Received: 03/16/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 11:13
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	81		60-140
Fluorobenzene	73		60-140
4-Bromofluorobenzene	121		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-02
 Client ID: SW2-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 11:40
 Date Received: 03/16/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 11:45
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
--	--	--	--	--	--	--

Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	81		60-140
Fluorobenzene	74		60-140
4-Bromofluorobenzene	120		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-03
 Client ID: SW3-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 12:20
 Date Received: 03/16/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 12:17
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	80		60-140
Fluorobenzene	72		60-140
4-Bromofluorobenzene	120		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-04
 Client ID: SW4-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 10:30
 Date Received: 03/16/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 12:49
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	82		60-140
Fluorobenzene	69		60-140
4-Bromofluorobenzene	110		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-05
 Client ID: SW5-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 09:20
 Date Received: 03/16/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 13:21
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	77		60-140
Fluorobenzene	71		60-140
4-Bromofluorobenzene	118		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-06
 Client ID: DUP-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 12:00
 Date Received: 03/16/25
 Field Prep: Refer to COC

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 13:53
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	79		60-140
Fluorobenzene	70		60-140
4-Bromofluorobenzene	115		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-07
 Client ID: TBSW-031625
 Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 00:00
 Date Received: 03/16/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 03/17/25 14:26
 Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Toluene	ND		mg/l	0.0010	0.00031	1
2-Butanone	ND		mg/l	0.010	0.0010	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	77		60-140
Fluorobenzene	71		60-140
4-Bromofluorobenzene	116		60-140

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 128,624.1
Analytical Date: 03/17/25 10:32
Analyst: GMT

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-07 Batch: WG2041585-4					
Toluene	ND		mg/l	0.0010	0.00031
2-Butanone	ND		mg/l	0.010	0.0010

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	81		60-140
Fluorobenzene	74		60-140
4-Bromofluorobenzene	112		60-140

Lab Control Sample Analysis
Batch Quality Control

Project Name: SPS TECHNOLOGIES

Lab Number: L2515044

Project Number: 658978

Report Date: 03/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-07 Batch: WG2041585-3								
Toluene	115		-		70-130	-		41
2-Butanone	72		-		60-140	-		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Pentafluorobenzene	87				60-140
Fluorobenzene	85				60-140
4-Bromofluorobenzene	110				60-140

Matrix Spike Analysis
Batch Quality Control

Project Name: SPS TECHNOLOGIES

Lab Number: L2515044

Project Number: 658978

Report Date: 03/17/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-07 QC Batch ID: WG2041585-5 WG2041585-6 QC Sample: L2515044-05 Client ID: SW5-031625												
Toluene	ND	0.00002	0.024	120		0.023	115		47-150	4		41
2-Butanone	ND	0.00005	0.031	62		0.031	62		60-140	0		30

Surrogate	MS		MSD		Acceptance
	% Recovery	Qualifier	% Recovery	Qualifier	Criteria
4-Bromofluorobenzene	118		117		60-140
Fluorobenzene	81		85		60-140
Pentafluorobenzene	85		90		60-140

METALS



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**SAMPLE RESULTS**

Lab ID: L2515044-01

Date Collected: 03/16/25 11:00

Client ID: SW1-031625

Date Received: 03/16/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00029	J	mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 12:23	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00071	J	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 12:23	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	214.2		mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 12:23	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/17/25 12:23	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0004	J	mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 12:34	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0007	J	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 12:34	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**SAMPLE RESULTS**

Lab ID: L2515044-02

Date Collected: 03/16/25 11:40

Client ID: SW2-031625

Date Received: 03/16/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	ND		mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 12:27	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00149	J	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 12:27	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	270.6		mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 12:27	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/17/25 12:27	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	ND		mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 12:38	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0014	J	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 12:38	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**SAMPLE RESULTS**

Lab ID: L2515044-03

Date Collected: 03/16/25 12:20

Client ID: SW3-031625

Date Received: 03/16/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00029	J	mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 12:32	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00093	J	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 12:32	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	217.8		mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 12:32	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/17/25 12:32	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0003	J	mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 12:43	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0009	J	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 12:43	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**SAMPLE RESULTS**

Lab ID: L2515044-04

Date Collected: 03/16/25 10:30

Client ID: SW4-031625

Date Received: 03/16/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	ND		mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 12:37	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00167	J	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 12:37	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	219.0		mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 12:37	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/17/25 12:37	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	ND		mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 12:47	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0016	J	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 12:47	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**SAMPLE RESULTS**

Lab ID: L2515044-05

Date Collected: 03/16/25 09:20

Client ID: SW5-031625

Date Received: 03/16/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00031	J	mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 11:34	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00125	J	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 11:34	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	192.8		mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 11:34	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/17/25 11:34	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	ND		mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 12:16	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0013	J	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 12:16	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**SAMPLE RESULTS**

Lab ID: L2515044-06

Date Collected: 03/16/25 12:00

Client ID: DUP-031625

Date Received: 03/16/25

Sample Location: JENKINTOWN, PA

Field Prep: Refer to COC

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00033	J	mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 12:59	EPA 3005A	3,200.8	BLR
Nickel, Total	0.00098	J	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 12:59	EPA 3005A	3,200.8	BLR
Total Hardness (by calculation) - Mansfield Lab											
Hardness	211.9		mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 12:59	EPA 3005A	3,200.8	BLR
General Chemistry - Mansfield Lab											
Chromium, Trivalent	ND		mg/l	0.010	0.003	1		03/17/25 12:59	NA	107,-	
Dissolved Metals - Mansfield Lab											
Chromium, Dissolved	0.0003	J	mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 12:52	EPA 3005A	3,200.8	NTB
Nickel, Dissolved	0.0012	J	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 12:52	EPA 3005A	3,200.8	NTB



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-06 Batch: WG2041244-1									
Chromium, Total	ND	mg/l	0.00100	0.00017	1	03/17/25 07:46	03/17/25 11:10	3,200.8	BLR
Nickel, Total	ND	mg/l	0.00200	0.00055	1	03/17/25 07:46	03/17/25 11:10	3,200.8	BLR

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness (by calculation) - Mansfield Lab for sample(s): 01-06 Batch: WG2041244-1									
Hardness	ND	mg/l	0.5400	NA	1	03/17/25 07:46	03/17/25 11:10	3,200.8	BLR

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab for sample(s): 01-06 Batch: WG2041246-1									
Chromium, Dissolved	ND	mg/l	0.0010	0.0002	1	03/17/25 07:55	03/17/25 11:21	3,200.8	NTB
Nickel, Dissolved	ND	mg/l	0.0020	0.0006	1	03/17/25 07:55	03/17/25 11:21	3,200.8	NTB

Prep Information

Digestion Method: EPA 3005A



Lab Control Sample Analysis Batch Quality Control

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515044

Report Date: 03/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-06 Batch: WG2041244-2								
Chromium, Total	101		-		85-115	-		
Nickel, Total	106		-		85-115	-		
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-06 Batch: WG2041244-2								
Hardness	96		-		85-115	-		
Dissolved Metals - Mansfield Lab Associated sample(s): 01-06 Batch: WG2041246-2								
Chromium, Dissolved	100		-		85-115	-		
Nickel, Dissolved	105		-		85-115	-		

Matrix Spike Analysis Batch Quality Control

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG2041244-3 WG2041244-4 QC Sample: L2515019-05 Client ID: MS Sample												
Chromium, Total	0.00024J	0.2	0.2059	103		0.1929	96		70-130	7		20
Nickel, Total	0.00111J	0.5	0.5447	109		0.5166	103		70-130	5		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG2041244-3 WG2041244-4 QC Sample: L2515019-05 Client ID: MS Sample												
Hardness	194.6	66.2	268.2	111		259.0	97		70-130	3		20
Total Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG2041244-5 WG2041244-6 QC Sample: L2515044-05 Client ID: SW5-031625												
Chromium, Total	0.00031J	0.2	0.2145	107		0.2043	102		70-130	5		20
Nickel, Total	0.00125J	0.5	0.5269	105		0.5355	107		70-130	2		20
Total Hardness (by calculation) - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG2041244-5 WG2041244-6 QC Sample: L2515044-05 Client ID: SW5-031625												
Hardness	192.8	66.2	257.8	98		260.5	102		70-130	1		20
Dissolved Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG2041246-3 WG2041246-4 QC Sample: L2515019-05 Client ID: MS Sample												
Chromium, Dissolved	0.0003J	0.2	0.2093	105		0.2060	103		70-130	2		20
Nickel, Dissolved	0.0011J	0.5	0.5444	109		0.5275	106		70-130	3		20
Dissolved Metals - Mansfield Lab Associated sample(s): 01-06 QC Batch ID: WG2041246-5 WG2041246-6 QC Sample: L2515044-05 Client ID: SW5-031625												
Chromium, Dissolved	ND	0.2	0.2026	101		0.2039	102		70-130	1		20
Nickel, Dissolved	0.0013J	0.5	0.5256	105		0.5196	104		70-130	1		20

INORGANICS & MISCELLANEOUS

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-01
Client ID: SW1-031625
Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 11:00
Date Received: 03/16/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 13:49	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 11:53	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:02	121,3500CR-B	MRM



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-02
Client ID: SW2-031625
Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 11:40
Date Received: 03/16/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 13:50	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 12:01	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:02	121,3500CR-B	MRM



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-03
Client ID: SW3-031625
Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 12:20
Date Received: 03/16/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 13:53	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 12:02	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:02	121,3500CR-B	MRM



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-04
Client ID: SW4-031625
Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 10:30
Date Received: 03/16/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 13:54	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 11:56	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:02	121,3500CR-B	MRM



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-05
Client ID: SW5-031625
Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 09:20
Date Received: 03/16/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	ND		mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 13:55	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 09:45	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:03	121,3500CR-B	MRM



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

SAMPLE RESULTS

Lab ID: L2515044-06
Client ID: DUP-031625
Sample Location: JENKINTOWN, PA

Date Collected: 03/16/25 12:00
Date Received: 03/16/25
Field Prep: Refer to COC

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Cyanide, Total	0.001	J	mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 13:59	121,4500CN-CE	JER
Cyanide, Free	ND		mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
Oil & Grease, Hem-Grav	ND		mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 12:05	140,1664B	TPR
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:03	121,3500CR-B	MRM



Project Name: SPS TECHNOLOGIES

Lab Number: L2515044

Project Number: 658978

Report Date: 03/17/25

Method Blank Analysis
Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG2041232-1									
Cyanide, Free	ND	mg/l	0.010	0.003	1	-	03/17/25 05:25	121,4500CN-E(M)	MRM
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG2041233-1									
Chromium, Hexavalent	ND	mg/l	0.010	0.003	1	03/17/25 04:45	03/17/25 05:00	121,3500CR-B	MRM
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG2041302-1									
Oil & Grease, Hem-Grav	ND	mg/l	4.0	4.0	1	03/17/25 08:07	03/17/25 09:29	140,1664B	TPR
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG2041319-1									
Cyanide, Total	ND	mg/l	0.005	0.001	1	03/17/25 10:20	03/17/25 14:11	121,4500CN-CE	JER



Lab Control Sample Analysis Batch Quality Control

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515044

Report Date: 03/17/25

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG2041232-2								
Cyanide, Free	99		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG2041233-2								
Chromium, Hexavalent	107		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG2041302-2								
Oil & Grease, Hem-Grav	99		-		78-114	-		18
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG2041319-2								
Cyanide, Total	92		-		90-110	-		

Matrix Spike Analysis Batch Quality Control

Project Name: SPS TECHNOLOGIES

Lab Number: L2515044

Project Number: 658978

Report Date: 03/17/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2041232-4 WG2041232-5 QC Sample: L2515044-05 Client ID: SW5-031625												
Cyanide, Free	ND	0.25	0.237	95		0.238	95		80-120	0		20
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2041233-4 WG2041233-5 QC Sample: L2515044-05 Client ID: SW5-031625												
Chromium, Hexavalent	ND	0.1	0.095	95		0.099	99		85-115	4		20
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2041302-4 WG2041302-5 QC Sample: L2515044-05 Client ID: SW5-031625												
Oil & Grease, Hem-Grav	ND	39.6	38	95		37	94		78-114	2		18
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2041319-3 WG2041319-4 QC Sample: L2515044-05 Client ID: SW5-031625												
Cyanide, Total	ND	0.2	0.198	99		0.192	96		90-110	3		30

Lab Duplicate Analysis

Batch Quality Control

Project Name: SPS TECHNOLOGIES

Project Number: 658978

Lab Number: L2515044

Report Date: 03/17/25

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2041232-3 QC Sample: L2515044-05 Client ID: SW5-031625						
Cyanide, Free	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2041233-3 QC Sample: L2515044-05 Client ID: SW5-031625						
Chromium, Hexavalent	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2041302-3 QC Sample: L2515044-05 Client ID: SW5-031625						
Oil & Grease, Hem-Grav	ND	ND	mg/l	NC		18
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG2041319-5 QC Sample: L2515044-05 Client ID: SW5-031625						
Cyanide, Total	ND	ND	mg/l	NC		30

Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent
B	Absent
C	Absent
D	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2515044-01A	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-01B	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-01C	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-01D	Plastic 250ml HNO3 preserved	C	<2	<2	3.9	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515044-01E	Plastic 250ml HNO3 preserved	C	<2	<2	3.9	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515044-01F	Plastic 250ml NaOH preserved	C	>12	>12	3.9	Y	Absent		TCN-4500(14)
L2515044-01G	Plastic 500ml unpreserved	C	7	7	3.9	Y	Absent		HEXCR-3500(1),FCN(1)
L2515044-01H	Amber 1L HCl preserved	C	NA		3.9	Y	Absent		OG-1664(28)
L2515044-01J	Amber 1L HCl preserved	C	NA		3.9	Y	Absent		OG-1664(28)
L2515044-02A	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-02B	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-02C	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-02D	Plastic 250ml HNO3 preserved	A	<2	<2	3.4	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515044-02E	Plastic 250ml HNO3 preserved	A	<2	<2	3.4	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515044-02F	Plastic 250ml NaOH preserved	A	>12	>12	3.4	Y	Absent		TCN-4500(14)
L2515044-02G	Plastic 500ml unpreserved	A	7	7	3.4	Y	Absent		HEXCR-3500(1),FCN(1)
L2515044-02H	Amber 1L HCl preserved	A	NA		3.4	Y	Absent		OG-1664(28)
L2515044-02J	Amber 1L HCl preserved	A	NA		3.4	Y	Absent		OG-1664(28)
L2515044-03A	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)

Project Name: SPS TECHNOLOGIES**Lab Number:** L2515044**Project Number:** 658978**Report Date:** 03/17/25**Container Information**

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2515044-03B	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-03C	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-03D	Plastic 250ml HNO3 preserved	C	<2	<2	3.9	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515044-03E	Plastic 250ml HNO3 preserved	C	<2	<2	3.9	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515044-03F	Plastic 250ml NaOH preserved	C	>12	>12	3.9	Y	Absent		TCN-4500(14)
L2515044-03G	Plastic 500ml unpreserved	C	7	7	3.9	Y	Absent		HEXCR-3500(1),FCN(1)
L2515044-03H	Amber 1L HCl preserved	C	NA		3.9	Y	Absent		OG-1664(28)
L2515044-03J	Amber 1L HCl preserved	C	NA		3.9	Y	Absent		OG-1664(28)
L2515044-04A	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-04B	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-04C	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-04D	Plastic 250ml HNO3 preserved	C	<2	<2	3.9	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515044-04E	Plastic 250ml HNO3 preserved	C	<2	<2	3.9	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515044-04F	Plastic 250ml NaOH preserved	C	>12	>12	3.9	Y	Absent		TCN-4500(14)
L2515044-04G	Plastic 500ml unpreserved	C	7	7	3.9	Y	Absent		HEXCR-3500(1),FCN(1)
L2515044-04H	Amber 1L HCl preserved	C	NA		3.9	Y	Absent		OG-1664(28)
L2515044-04J	Amber 1L HCl preserved	C	NA		3.9	Y	Absent		OG-1664(28)
L2515044-05A	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-05A1	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-05A2	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-05B	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-05B1	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-05B2	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-05C	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-05C1	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-05C2	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-05D	Plastic 250ml HNO3 preserved	D	<2	<2	3.2	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Serial_No:03172517:32
Lab Number: L2515044
Report Date: 03/17/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2515044-05D1	Plastic 250ml HNO3 preserved	D	<2	<2	3.2	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515044-05D2	Plastic 250ml HNO3 preserved	D	<2	<2	3.2	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515044-05E	Plastic 250ml HNO3 preserved	D	<2	<2	3.2	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515044-05E1	Plastic 250ml HNO3 preserved	D	<2	<2	3.2	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515044-05E2	Plastic 250ml HNO3 preserved	D	<2	<2	3.2	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515044-05F	Plastic 250ml NaOH preserved	D	>12	>12	3.2	Y	Absent		TCN-4500(14)
L2515044-05F1	Plastic 250ml NaOH preserved	D	>12	>12	3.2	Y	Absent		TCN-4500(14)
L2515044-05F2	Plastic 250ml NaOH preserved	D	>12	>12	3.2	Y	Absent		TCN-4500(14)
L2515044-05G	Plastic 500ml unpreserved	D	7	7	3.2	Y	Absent		HEXCR-3500(1),FCN(1)
L2515044-05G1	Plastic 500ml unpreserved	D	7	7	3.2	Y	Absent		HEXCR-3500(1),FCN(1)
L2515044-05G2	Plastic 500ml unpreserved	D	7	7	3.2	Y	Absent		HEXCR-3500(1),FCN(1)
L2515044-05H	Amber 1L HCl preserved	D	NA		3.2	Y	Absent		OG-1664(28)
L2515044-05H1	Amber 1L HCl preserved	D	NA		3.2	Y	Absent		OG-1664(28)
L2515044-05H2	Amber 1L HCl preserved	D	NA		3.2	Y	Absent		OG-1664(28)
L2515044-05J	Amber 1L HCl preserved	D	NA		3.2	Y	Absent		OG-1664(28)
L2515044-05J1	Amber 1L HCl preserved	D	NA		3.2	Y	Absent		OG-1664(28)
L2515044-05J2	Amber 1L HCl preserved	D	NA		3.2	Y	Absent		OG-1664(28)
L2515044-06A	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-06B	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-06C	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)
L2515044-06D	Plastic 250ml HNO3 preserved	A	<2	<2	3.4	Y	Absent		NI-2008T(180),HARDT-2008(180),CR-2008T(180)
L2515044-06E	Plastic 250ml HNO3 preserved	A	<2	<2	3.4	Y	Absent		CR-2008S(180),NI-2008S(180)
L2515044-06F	Plastic 250ml NaOH preserved	A	>12	>12	3.4	Y	Absent		TCN-4500(14)
L2515044-06G	Plastic 500ml unpreserved	A	7	7	3.4	Y	Absent		HEXCR-3500(1),FCN(1)
L2515044-06H	Amber 1L HCl preserved	A	NA		3.4	Y	Absent		OG-1664(28)
L2515044-06J	Amber 1L HCl preserved	A	NA		3.4	Y	Absent		OG-1664(28)
L2515044-07A	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)



Project Name: SPS TECHNOLOGIES

Project Number: 658978

Serial_No:03172517:32

Lab Number: L2515044

Report Date: 03/17/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2515044-07B	Vial Na2S2O3 preserved	B	NA		2.3	Y	Absent		624.1-PPM(7)



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: SPS TECHNOLOGIES
Project Number: 658978

Lab Number: L2515044
Report Date: 03/17/25

REFERENCES

- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 107 Calculation method.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.
- 128 Method 624.1: Purgeables by GC/MS, EPA 821-R-16-008, December 2016.
- 140 Method 1664, Revision B: N-Hexane Extractable Material (HEM; Oil & Grease) and Silica Gel Treated N-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, EPA-821-R-10-001, February 2010.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at its own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581

EPA 624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625.1: alpha-Terpineol

EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

SM 2540D: TSS.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

MADEP-APH.

Nonpotable Water: EPA RSK-175 Dissolved Gases

Biological Tissue Matrix: EPA 3050B

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Nonpotable Water: EPA RSK-175 Dissolved Gases

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 524.2: THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

Pace Analytical Services LLC

ID No.:17873

Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 2 of 2

Certification IDs:**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

CT PH-0826, IL 200077, IN C-MA-03, KY JY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 3090, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048

ANAB/DoD L2474, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

For a complete listing of analytes and methods, please contact your Project Manager.



CHAIN OF CUSTODY

PAGE 1 OF 1

Westborough, MA
 TEL: 508-898-9220
 FAX: 508-898-9193

Mansfield, MA
 TEL: 508-822-9300
 FAX: 508-822-3288

Client Information

Client: TRC Environmental Corporation
 Address: 1617 John F. Kennedy Blvd.
 Suite 510, Philadelphia, PA 19103
 Phone: 267-679-6728

Fax: 215-563-2339

Email: JActon@trccompanies.com

These samples have been Previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:

Attorney-Client Privileged & Confidential
 All VOAs in 1 Cooler
 ER Project
 MS/MSD on SW5-031625

Project Information

Project Name: SPS Technologies

Project Location: Jenkintown, PA

Project #: 658978

Project Manager: Julie Acton

ALPHA Quote #:

Turn-Around Time

Standard Rush (ONLY IF PRE-APPROVED)

Due Date: Time: 1-Day

Date Rec'd in Lab: 3/16/25

ALPHA Job #: L2515044

Report Information Data Deliverables

FAX EMAIL
 ADEX Add'l Deliverables

Billing Information

Same as Client info PO #: 226588

Regulatory Requirements/Report Limits

State/Fed Program: PA Criteria:

ANALYSIS

Oil and Grease E1664B	Free Cyanide SM4500CN-E(M)	Total Cyanide SM4500CN-CE	Speciated Hex Chrome SM3500-CrB	ToTal Chromium E200.8	Dissolved Chromium E200.8	Total Nickel E200.8	Dissolved Nickel E200.8	MEK E624.1	Toluene E624.1	Total Hardness E200.8
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

SAMPLE HANDLING
Filtration
 Done
 Not Needed
Preservation
 Lab to do
 Lab to do
 (Please specify below)

TOTAL # BOTTLES

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials
		Date	Time		
15044-01	SW1-031625	3/16/25	1100	SW	AF
-02	SW2-031625	3/16/25	1140	SW	AF
-03	SW3-031625	3/16/25	1220	SW	AF
-04	SW4-031625	3/16/25	1030	SW	AF
-05	SW5-031625	3/16/25	0920	SW	AF
-06	DUP-031625	3/16/25	1200	SW	AF
	FIELD BLANK - (48)			W	
-07	TBSW-031625	3/15/25	-	W	

Container Type	A	P	P	P	P	P	P	P	V	V	-	-
Preservative	B	A	E	A	C	A	C	A	H	H	-	-

Relinquished By:	Date/Time	Received By:	Date/Time
<i>Amber Johnson</i>	3/16/25 1318	<i>Paul Maggella</i>	3/16/25 1318
<i>Paul Maggella</i>	3/16/25 1908	<i>Paul Maggella</i>	3/16/25 2315
	3/16/25 2315		3/16/25 2315

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.